

**Reactive Energy Charges for DGVCL for the Week
from 28-May-07 to 03-June-07**

STATE LOAD DISPATCH CENTRE
Vadodara -390002, Website : www.sldcguj.com

| Date | 2ACHLIA-JMBU1M | 2ACHLIA-JMBU1M | 2ACHLIA-JMBU2M | 2ACHLIA-JMBU2M | 2ACHLIA-JMBU3M | 2ACHLIA-JMBU3M | 2ACHLIA-JMBU4M | 2ACHLIA-JMBU4M |
|--------------|------------------|----------------|------------------|----------------|-------------------|------------------|-------------------|----------------|
| | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) |
| 4-Jun-2007 | -20.1600 | 0.0000 | -9.3600 | 0.0000 | -24.7200 | 0.0000 | -17.0400 | 0.0000 |
| 5-Jun-2007 | -48.0000 | 0.0000 | -39.3600 | 0.0000 | -53.5200 | 0.0000 | -43.4400 | 0.0000 |
| 6-Jun-2007 | -43.3200 | 0.0000 | -38.5200 | 0.0000 | -51.3600 | 0.0000 | -43.4400 | 0.0000 |
| 7-Jun-2007 | -21.8400 | 0.0000 | -16.8000 | 0.0000 | -23.8800 | 0.0000 | -19.3200 | 0.0000 |
| 8-Jun-2007 | -11.5200 | 0.0000 | -8.0400 | 0.0000 | -15.4800 | 0.0000 | -11.5200 | 0.0000 |
| 9-Jun-2007 | -3.4800 | 0.0000 | -5.5200 | 0.0000 | -4.9200 | 0.0000 | -8.4000 | 0.0000 |
| 10-Jun-2007 | -64.2000 | 0.0000 | -53.7600 | 0.0000 | -72.2400 | 0.0000 | -66.0000 | 0.0000 |
| Total | -212.5200 | 0.0000 | -171.3600 | 0.0000 | -246.1200 | 0.0000 | -209.1600 | 0.0000 |
| Date | 2ACHALIA-UHP1S | 2ACHALIA-UHP1S | 2ACHALIA-UHP2S | 2ACHALIA-UHP2S | 2ACHALIA-UTP1S | 2ACHALIA-UTP1S | 2ACHALIA-UTP2S | 2ACHALIA-UTP2S |
| | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) |
| 4-Jun-2007 | -5.4000 | 0.0000 | -12.1200 | 0.0000 | -12.4800 | 0.0000 | -18.2400 | 0.0000 |
| 5-Jun-2007 | -4.5600 | 0.0000 | -11.2800 | 0.0000 | -9.3600 | 0.0000 | -15.0000 | 0.0000 |
| 6-Jun-2007 | 0.2400 | 0.0000 | 7.9200 | 0.0000 | -1.9200 | 0.0000 | 7.2000 | 0.0000 |
| 7-Jun-2007 | -10.8000 | 0.0000 | -0.4800 | 0.0000 | -13.3200 | 0.0000 | -3.3600 | 0.0000 |
| 8-Jun-2007 | -0.7200 | 0.0000 | 4.2000 | 0.0000 | -3.7200 | 0.0000 | 2.4000 | 0.0000 |
| 9-Jun-2007 | -15.7200 | 0.0000 | -5.7600 | 0.0000 | -15.3600 | 0.0000 | -3.9600 | 0.0000 |
| 10-Jun-2007 | -14.8800 | 0.0000 | -0.7200 | 0.0000 | -19.5600 | 0.0000 | -1.5600 | 0.0000 |
| Total | -51.8400 | 0.0000 | -18.2400 | 0.0000 | -75.7200 | 0.0000 | -32.5200 | 0.0000 |
| Date | 2ACHALIA-UTP3S | 2ACHALIA-UTP3S | 2GVSD-SLPP1S | 2GVSD-SLPP1S | 6GOVLK-SE-D2M1 | 6GOVLK-SE-D2M1 | 2HLVA-GPEC1S | 2HLVA-GPEC1S |
| | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) |
| 4-Jun-2007 | -39.3600 | 0.0000 | 96.2400 | 0.0000 | 0.0000 | -26.8080 | -3.6000 | 0.0000 |
| 5-Jun-2007 | -38.5200 | 0.0000 | 115.3200 | 0.0000 | 0.0000 | -1.1760 | -7.4400 | 0.0000 |
| 6-Jun-2007 | -30.2400 | 0.0000 | 131.4000 | 0.0000 | 0.0000 | -200.9520 | 0.0000 | 0.0000 |
| 7-Jun-2007 | -29.8800 | 0.0000 | 98.4000 | 0.0000 | 0.0000 | -6.9360 | 0.0000 | 0.0000 |
| 8-Jun-2007 | -20.4000 | 0.0000 | 60.6000 | 0.0000 | -0.0240 | -1.2000 | 0.0000 | 0.0000 |
| 9-Jun-2007 | -41.6400 | 0.0000 | 152.1600 | 0.0000 | 0.0000 | -0.4080 | 0.0000 | 0.0000 |
| 10-Jun-2007 | -68.1600 | 0.0000 | 114.4800 | 0.0000 | 0.0000 | 0.5520 | -18.4800 | 0.0000 |
| Total | -268.2000 | 0.0000 | 768.6000 | 0.0000 | -0.0240 | -236.9280 | -29.5200 | 0.0000 |
| Date | 2HLVA-GPEC2S | 2HLVA-GPEC2S | 2HLVA-JMBUA1M | 2HLVA-JMBUA1M | 1HLVA-KRJAN1M | 1HLVA-KRJAN1M | 2HLVA-RAROD2M | 2HLVA-RAROD2M |
| | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) |
| 4-Jun-2007 | -124.5600 | 0.0000 | 0.0000 | 0.0000 | -100.1520 | 0.0000 | 0.0000 | 0.0000 |
| 5-Jun-2007 | -89.5200 | 0.0000 | 0.0000 | 0.0000 | -65.3760 | 0.0000 | 0.0000 | 0.0000 |
| 6-Jun-2007 | -47.5200 | 0.0000 | 0.0000 | 0.0000 | -57.4560 | 0.0000 | 0.0000 | 0.0000 |
| 7-Jun-2007 | -4.0800 | 0.0000 | 0.0000 | 0.0000 | -31.4640 | 0.0000 | 0.0000 | 0.0000 |
| 8-Jun-2007 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | -2.5920 | 0.0000 | 0.0000 | 0.0000 |
| 9-Jun-2007 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | -3.0960 | 0.0000 | 0.0000 | 0.0000 |
| 10-Jun-2007 | 0.0000 | 0.0000 | -15.6000 | 0.0000 | -110.1600 | 0.0000 | 0.0000 | 0.0000 |
| Total | -265.6800 | 0.0000 | -15.6000 | 0.0000 | -370.2960 | 0.0000 | 0.0000 | 0.0000 |
| Date | 2ICPUR-ESAR-1S | 2ICPUR-ESAR-1S | 2ICPUR-ESAR-2S | 2ICPUR-ESAR-2S | 2ZGDIA-JMBUA1M | 2ZGDIA-JMBUA1M | 2ZGDIA-SLPP1S | 2ZGDIA-SLPP1S |
| | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) |
| 4-Jun-2007 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | -573.8400 | 0.0000 | -294.4800 | 0.0000 |
| 5-Jun-2007 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | -439.9200 | 0.0000 | -225.1200 | 0.0000 |
| 6-Jun-2007 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | -360.9600 | 0.0000 | -182.8800 | 0.0000 |
| 7-Jun-2007 | 0.0000 | 9.8400 | 0.0000 | 9.4800 | -261.3600 | 0.0000 | -112.8000 | 0.0000 |
| 8-Jun-2007 | 0.0000 | 1.8000 | 0.0000 | 2.0400 | -313.2000 | 0.0000 | -109.4400 | 0.0000 |
| 9-Jun-2007 | 0.0000 | 10.6800 | 0.0000 | 10.6800 | -408.7200 | 0.0000 | -180.7200 | 0.0000 |
| 10-Jun-2007 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | -680.8800 | 0.0000 | -347.7600 | 0.0000 |
| Total | 0.0000 | 22.3200 | 0.0000 | 22.2000 | -3038.8800 | 0.0000 | -1453.2000 | 0.0000 |

| No. SLDC / ABT /Comm /REC/ Week 11/6.1 | | | 28-Jul-07 | | Reactive Energy Charges for DGVCL for the Week from 28-May-07 to 03-June-07 | | | | |
|---|-------------------|----------------|------------------|-----------------|--|----------------|------------------|----------------|--|
| STATE LOAD DISPATCH CENTRE Vadodara -390002, Website : www.sldcguj.com | | | | | | | | | |
| Date | 2ZGDIA-SLPP2S | 2ZGDIA-SLPP2S | 2KIM-GSEG-1S | 2KIM-GSEG-1S | 2KIM-GSEG-2S | 2KIM-GSEG-2S | 2KIM-UGPS1S | 2KIM-UGPS1S | |
| | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) | |
| 4-Jun-2007 | -363.3600 | 0.0000 | -72.2400 | 0.0000 | -34.2000 | 0.0000 | -32.1600 | 0.0000 | |
| 5-Jun-2007 | -271.6800 | 0.0000 | -0.6000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | |
| 6-Jun-2007 | -239.0400 | 0.0000 | -15.0000 | 0.0000 | -0.1200 | 0.0000 | 0.0000 | 0.0000 | |
| 7-Jun-2007 | -155.0400 | 0.0000 | -2.2800 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | |
| 8-Jun-2007 | -196.5600 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | |
| 9-Jun-2007 | -120.2400 | 0.0000 | -0.4800 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | |
| 10-Jun-2007 | -270.7200 | 0.0000 | -24.6000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | |
| Total | -1616.6400 | 0.0000 | -115.2000 | 0.0000 | -34.3200 | 0.0000 | -32.1600 | 0.0000 | |
| Date | 2KIM-UGPS2S | 2KIM-UGPS2S | 6LBCHP-UHP-1M | 6LBCHP-UHP-1M | 6LBCHP-UHPS-2M | 6LBCHP-UHPS-2M | 2MOTA-UTPS-S1 | 2MOTA-UTPS-S1 | |
| | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) | |
| 4-Jun-2007 | -5.5200 | 0.0000 | 0.3915 | 0.0000 | 0.3780 | 0.0000 | -152.6400 | 0.0000 | |
| 5-Jun-2007 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | |
| 6-Jun-2007 | 0.0000 | 0.0000 | 0.1710 | 0.0000 | 0.1710 | 0.0000 | -4.0800 | 0.0000 | |
| 7-Jun-2007 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | |
| 8-Jun-2007 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | |
| 9-Jun-2007 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | |
| 10-Jun-2007 | 0.0000 | 0.0000 | 0.0900 | 0.0000 | 0.0675 | 0.0000 | -0.4800 | 0.0000 | |
| Total | -5.5200 | 0.0000 | 0.6525 | 0.0000 | 0.6165 | 0.0000 | -157.2000 | 0.0000 | |
| Date | 6PALEJ-KRJAN1M | 6PALEJ-KRJAN1M | 6PLEJ-RAROD1M | 6PLEJ-RAROD1M | 6RJPLA-CDOD1M | 6RJPLA-CDOD1M | 2SCHIN-ESAR-S1 | 2SCHIN-ESAR-S1 | |
| | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) | |
| 4-Jun-2007 | 0.0000 | 0.0000 | 0.0000 | -0.2700 | 0.0000 | 0.0000 | -0.8400 | 0.0000 | |
| 5-Jun-2007 | 0.0000 | 0.0000 | 0.0000 | -0.4860 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | |
| 6-Jun-2007 | 0.0000 | 0.0000 | 0.0000 | -10.1160 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | |
| 7-Jun-2007 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | |
| 8-Jun-2007 | 0.0000 | 0.0000 | 0.0000 | -7.3800 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | |
| 9-Jun-2007 | 0.0000 | 0.0000 | 0.0000 | -3.9600 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | |
| 10-Jun-2007 | 0.0000 | 0.0000 | 0.0000 | -0.0180 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | |
| Total | 0.0000 | 0.0000 | 0.0000 | -22.2300 | 0.0000 | 0.0000 | -0.8400 | 0.0000 | |
| Date | 2SCHIN-ESAR-S2 | 2SCHIN-ESAR-S2 | 6SCHIN-SEC-D1M | 6SCHIN-SEC-D1M | 6SCHIN-SEC-D2M | 6SCHIN-SEC-D2M | 6SRBN-BODKA1M | 6SRBN-BODKA1M | |
| | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) | |
| 4-Jun-2007 | -1.8000 | 0.0000 | 12.8160 | 0.0000 | 13.2840 | 0.0000 | -2.2320 | -1.6740 | |
| 5-Jun-2007 | 0.0000 | 0.0000 | 21.4920 | 0.0000 | 21.0240 | 0.0000 | 0.9900 | 0.0000 | |
| 6-Jun-2007 | 0.0000 | 0.0000 | 11.9520 | 0.0000 | 11.3760 | 0.0000 | -2.1240 | 0.0000 | |
| 7-Jun-2007 | 0.0000 | 0.0000 | 11.8440 | 0.0000 | 11.8080 | 0.0000 | -0.4140 | 0.0000 | |
| 8-Jun-2007 | 0.0000 | 0.0000 | 7.3800 | 0.0000 | 8.4960 | 0.0000 | 0.0180 | 0.0000 | |
| 9-Jun-2007 | 0.0000 | 0.0000 | 1.7280 | 0.0000 | 3.5640 | 0.0000 | 0.7380 | 0.0000 | |
| 10-Jun-2007 | 0.0000 | 0.0000 | -5.9400 | 0.0000 | -4.3200 | 0.0000 | 1.0800 | 0.0000 | |
| Total | -1.8000 | 0.0000 | 61.2720 | 0.0000 | 65.2320 | 0.0000 | -1.9440 | -1.6740 | |
| Date | 22TLKVDA-ICT1M | 22TLKVDA-ICT1M | 22TLKVDA-ICT2M | 22TLKVDA-ICT2M | 6TAPI-SEC-A1M | 6TAPI-SEC-A1M | 6TAPI-SEC-B1M | 6TAPI-SEC-B1M | |
| | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) | |
| 4-Jun-2007 | 0.0000 | 0.0340 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | |
| 5-Jun-2007 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.8640 | 2.6640 | 0.0000 | 0.0000 | |
| 6-Jun-2007 | 0.0000 | -0.0020 | 0.0000 | 0.0000 | 3.3120 | 23.1480 | 0.0000 | 0.0000 | |
| 7-Jun-2007 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 4.5720 | 8.6040 | 0.0000 | 0.0000 | |
| 8-Jun-2007 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | |
| 9-Jun-2007 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 3.7800 | 5.3640 | 0.0000 | 0.0000 | |
| 10-Jun-2007 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 4.7160 | 0.0000 | 0.0000 | 0.0000 | |
| Total | 0.0000 | 0.0320 | 0.0000 | 0.0000 | 17.2440 | 39.7800 | 0.0000 | 0.0000 | |

| No. SLDC / ABT / Comm / REC / Week 11/6.1 | | 28-Jul-07 | | Reactive Energy Charges for DGVCL for the Week from 28-May-07 to 03-June-07 | | | | |
|---|------------------|----------------|---------------------|--|----------------------------|-----------------|-----------------------|------------------|
| STATE LOAD DISPATCH CENTRE Vadodara -390002, Website : www.sldcguj.com | | | | | | | | |
| Date | 6TAPI-SEC-B2M | 6TAPI-SEC-B2M | 6UDHNA-SE-D2M1 | 6UDHNA-SE-D2M1 | 6UHPS-ICT-1 | 6UHPS-ICT-1 | 6UHPS-ICT-2 | 6UHPS-ICT-2 |
| | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) |
| 4-Jun-2007 | 0.0000 | 0.0000 | 0.0000 | 7.1280 | 0.1080 | 0.0000 | 0.0720 | 0.0000 |
| 5-Jun-2007 | 0.0000 | 0.0000 | -1.0440 | -2.8800 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| 6-Jun-2007 | 0.0000 | 0.0000 | 0.0000 | 201.6360 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| 7-Jun-2007 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| 8-Jun-2007 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| 9-Jun-2007 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0360 |
| 10-Jun-2007 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Total | 0.0000 | 0.0000 | -1.0440 | 205.8840 | 0.1080 | 0.0000 | 0.0720 | 0.0360 |
| Date | 6VAV-SECO-C1M | 6VAV-SECO-C1M | 6VAV-SECO-C2M | 6VAV-SECO-C2M | 6VAV-SECO-E1M | 6VAV-SECO-E1M | 6VAV-SECO-E2M | 6VAV-SECO-E2M |
| | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) |
| 4-Jun-2007 | -11.0160 | 0.0000 | -10.8000 | 0.0000 | -12.4200 | 0.0000 | -13.7520 | 0.0000 |
| 5-Jun-2007 | 5.1480 | 0.4680 | 4.6440 | 0.9720 | -6.8760 | 0.0000 | -4.7160 | 0.0000 |
| 6-Jun-2007 | 2.2320 | 36.3960 | 1.8000 | 37.1160 | -7.3800 | 0.0000 | -6.5520 | 0.0000 |
| 7-Jun-2007 | 0.5400 | 3.0240 | 0.1440 | 4.7880 | -5.5440 | 0.0000 | -3.4200 | 0.0000 |
| 8-Jun-2007 | 0.2520 | 0.3600 | 0.1800 | 0.9360 | -0.5400 | 0.0000 | 0.0000 | 0.0000 |
| 9-Jun-2007 | 0.7920 | 2.8800 | 0.5040 | 3.8880 | -4.5360 | 0.0000 | -3.3480 | 0.0000 |
| 10-Jun-2007 | 5.6520 | 0.0000 | 5.1840 | 0.0000 | -10.8720 | 0.0000 | -10.8000 | 0.0000 |
| Total | 3.6000 | 43.1280 | 1.6560 | 47.7000 | -48.1680 | 0.0000 | -42.5880 | 0.0000 |
| Date | 2VAV-UTPS-S1 | 2VAV-UTPS-S1 | 6VRIAV-SEC-F1M | 6VRIAV-SEC-F1M | 6VRIAV-SEC-F2M | 6VRIAV-SEC-F2M | REACT DG - GETCO | REACT DG - GETCO |
| | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) |
| 4-Jun-2007 | -8.1600 | 0.0000 | 0.0000 | 4.9320 | 0.0000 | 4.7880 | -1853.3625 | -11.8700 |
| 5-Jun-2007 | 0.0000 | 0.0000 | -0.2520 | 5.0760 | -0.2520 | 4.8960 | -1206.3540 | 9.5340 |
| 6-Jun-2007 | 0.0000 | 0.0000 | 0.0000 | 1.9080 | 0.0000 | 1.8000 | -954.1380 | 90.9340 |
| 7-Jun-2007 | 0.0000 | 0.0000 | 0.0000 | 1.1520 | 0.0000 | 0.6480 | -588.7740 | 30.6000 |
| 8-Jun-2007 | 0.0000 | 0.0000 | 0.0000 | -0.3240 | 0.0000 | -3.4200 | -610.2300 | -7.1880 |
| 9-Jun-2007 | 0.0000 | 0.0000 | 0.0000 | 0.0360 | 0.0000 | 6.8040 | -662.6340 | 36.0000 |
| 10-Jun-2007 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | -1730.4225 | 0.5340 |
| Total | -8.1600 | 0.0000 | -0.2520 | 12.7800 | -0.2520 | 15.5160 | -7605.9150 | 148.5440 |
| Date | TOTAL MVARH | | (IN Rs.) | | | | | |
| | HV | LV | HV | LV | | | | |
| 4-Jun-2007 | -1853.363 | -11.870 | 92668.12500 | -593.50000 | | | | |
| 5-Jun-2007 | -1206.354 | 9.534 | 60317.70000 | 476.70000 | | | | |
| 6-Jun-2007 | -954.138 | 90.934 | 47706.90000 | 4546.70000 | | | | |
| 7-Jun-2007 | -588.774 | 30.600 | 29438.70000 | 1530.00000 | | | | |
| 8-Jun-2007 | -610.230 | -7.188 | 30511.50000 | -359.40000 | | | | |
| 9-Jun-2007 | -662.634 | 36.000 | 33131.70000 | 1800.00000 | | | | |
| 10-Jun-2007 | -1730.423 | 0.534 | 86521.12500 | 26.70000 | | | | |
| Total | -7605.915 | 148.544 | 380295.75000 | 7427.20 | | | | |
| | | | | | For HV Conditions : | To Pay : | Rs. 38,0295.75 | |
| | | | | | For LV Conditions : | To Pay : | Rs. 7,427.20 | |

Note : (1) All figures are in MVARH.
(2) All Poistive Values indicate drawal of VARS by utilities from GETCO.
(3) VARH Cahrge rates are Rs. 50.00 per MVARH.
(4) The charges have been calculated based on the GERC order no.03 Clause 10 (C).

राज्य भार प्रेषण केन्द्र

STATE LOAD DISPATCH CENTRE

Vadodara -390002, Website : www.sldcguj.com

Reactive Energy Charges for TPSECO for the Week
from 28-May-07 to 03-June-07

No. SLDC / ABT /Comm /REC/ Week 11/6.1

28-Jul-07

| Date | 6SEC-A-TAPI1M | 6SEC-A-TAPI1M | 6SEC-B-TAPI1M | 6SEC-B-TAPI1M | 6SEC-B-TAPI2M | 6SEC-B-TAPI2M | 6SEC-B-UGPS1S | 6SEC-B-UGPS1S |
|--------------|----------------|------------------|---------------|------------------|---------------|------------------|---------------|-----------------|
| | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) |
| 4-Jun-2007 | 5.5200 | -7.8600 | 0.0000 | -18.0300 | 0.0000 | -19.9200 | 0.0000 | 1.3140 |
| 5-Jun-2007 | -1.1700 | -11.7900 | 0.0000 | -28.0800 | 0.0000 | -31.1700 | 0.0000 | -2.8980 |
| 6-Jun-2007 | -0.6300 | -26.4600 | 0.0000 | -22.3800 | 0.0000 | -25.2900 | 0.0000 | 1.3140 |
| 7-Jun-2007 | -2.5500 | -17.5200 | 0.0000 | -24.0000 | 0.0000 | -27.6300 | 0.0000 | -15.4440 |
| 8-Jun-2007 | -0.2700 | -24.5400 | 0.0000 | -27.1800 | 0.0000 | -30.4500 | 0.0000 | -15.1740 |
| 9-Jun-2007 | -1.2000 | -16.7400 | 0.0000 | -21.4200 | 0.0000 | -24.6000 | 0.0000 | -11.7720 |
| 10-Jun-2007 | -2.3700 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Total | -2.6700 | -104.9100 | 0.0000 | -141.0900 | 0.0000 | -159.0600 | 0.0000 | -42.6600 |

| Date | 6SEC-B-UGPS2S | 6SEC-B-UGPS2S | 6SECO-C-VAV1M | 6SECO-C-VAV1M | 6SECO-C-VAV2M | 6SECO-C-VAV2M | 6SEC-D-SCHIN1M | 6SEC-D-SCHIN1M |
|--------------|---------------|-----------------|---------------|------------------|---------------|------------------|----------------|-----------------|
| | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) |
| 4-Jun-2007 | 0.0000 | 2.8620 | 10.6800 | -18.2400 | 10.8300 | -18.3000 | -5.4900 | 0.0000 |
| 5-Jun-2007 | 0.0000 | -0.5940 | -4.6800 | -33.0600 | -4.5000 | -34.2900 | -5.5800 | -0.0300 |
| 6-Jun-2007 | 0.0000 | 3.3480 | -0.2700 | -69.4800 | 0.0000 | -68.6400 | -4.9500 | -1.5900 |
| 7-Jun-2007 | 0.0000 | -12.3300 | -0.3900 | -37.2600 | -0.1200 | -36.8400 | -1.7400 | -13.1400 |
| 8-Jun-2007 | 0.0000 | -12.6540 | -0.1800 | -37.9200 | -0.1200 | -37.8900 | 0.7200 | -0.7800 |
| 9-Jun-2007 | 0.0000 | -9.2880 | -0.9900 | -23.3400 | -0.8700 | -23.5500 | 3.6900 | -11.5500 |
| 10-Jun-2007 | 0.0000 | 0.0000 | -4.0200 | 0.0000 | -3.8100 | 0.0000 | 18.3000 | 0.0000 |
| Total | 0.0000 | -28.6560 | 0.1500 | -219.3000 | 1.4100 | -219.5100 | 4.9500 | -27.0900 |

| Date | 6SEC-D-SCHIN2M | 6SEC-D-SCHIN2M | 6SECO-E-VAV1M | 6SECO-E-VAV1M | 6SECO-E-VAV2M | 6SECO-E-VAV2M | 6SEC-F-VRIAV1M | 6SEC-F-VRIAV1M |
|--------------|----------------|-----------------|----------------|---------------|----------------|---------------|----------------|----------------|
| | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) |
| 4-Jun-2007 | -5.6100 | 0.0000 | 19.7100 | 0.0000 | 18.7500 | 0.0000 | 0.0000 | 0.0000 |
| 5-Jun-2007 | -6.1500 | 0.0000 | 12.9300 | 0.0000 | 12.1500 | 0.0000 | 0.4320 | -1.6800 |
| 6-Jun-2007 | -4.8300 | -1.2600 | 12.4500 | 0.0000 | 11.6400 | 0.0000 | 0.0000 | 0.0000 |
| 7-Jun-2007 | -2.5200 | -11.1900 | 9.9300 | 0.0000 | 9.2400 | 0.0000 | 0.0720 | 1.5600 |
| 8-Jun-2007 | 0.8100 | -0.2100 | 3.5100 | 0.0000 | 3.0900 | 0.0000 | 0.0000 | -0.2400 |
| 9-Jun-2007 | 4.5600 | -10.0200 | 8.7900 | 0.0000 | 8.1000 | 0.0000 | 0.0000 | 0.0000 |
| 10-Jun-2007 | 16.8300 | 0.0000 | 16.8300 | 0.0000 | 15.6900 | 0.0000 | 0.0000 | 0.0000 |
| Total | 3.0900 | -22.6800 | 84.1500 | 0.0000 | 78.6600 | 0.0000 | 0.5040 | -0.3600 |

| Date | 6SEC-F-VRIAV2M | 6SEC-F-VRIAV2M | 6SEC-G-UGPS1S | 6SEC-G-UGPS1S | 6SEC-G-UGPS2S | 6SEC-G-UGPS2S | 6SEC-K-UGPS1S | 6SEC-K-UGPS1S |
|--------------|----------------|----------------|---------------|-----------------|---------------|-----------------|---------------|-----------------|
| | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) |
| 4-Jun-2007 | 0.0000 | 0.1680 | 0.0000 | 0.1800 | 0.0000 | 0.3780 | 0.0000 | -1.9500 |
| 5-Jun-2007 | 0.4320 | -1.4880 | 0.0000 | -7.3260 | 0.0000 | -6.8580 | 0.0000 | 1.2300 |
| 6-Jun-2007 | 0.0000 | 0.0000 | 0.0000 | -8.7660 | 0.0000 | -8.4240 | 0.0000 | -1.8900 |
| 7-Jun-2007 | 0.0960 | 1.8240 | 0.0000 | -2.0340 | 0.0000 | -1.2060 | 0.0000 | -1.8000 |
| 8-Jun-2007 | 0.0000 | 3.7440 | 0.0000 | -1.6920 | 0.0000 | -0.9000 | 0.0000 | -3.1800 |
| 9-Jun-2007 | 0.0000 | 0.9360 | 0.0000 | -2.5200 | 0.0000 | -1.9260 | 0.0000 | -3.4500 |
| 10-Jun-2007 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Total | 0.5280 | 5.1840 | 0.0000 | -22.1580 | 0.0000 | -18.9360 | 0.0000 | -11.0400 |

राज्य भार प्रेषण केन्द्र

STATE LOAD DISPATCH CENTRE

Vadodara -390002, Website : www.sldcguj.com

No. SLDC / ABT /Comm /REC/ Week 11/6.1

28-Jul-07

**Reactive Energy Charges for TPSECO for the Week
from 28-May-07 to 03-June-07**

| Date | 6SEC-K-UGPS2S | 6SEC-K-UGPS2S | 6SE-D2-GOVLK-M1 | 6SE-D2-GOVLK-M1 | RECT TSEC-GETCO | RECT TSEC-GETCO |
|--------------|---------------|-----------------|-----------------|-----------------|-----------------|-------------------|
| | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) |
| 4-Jun-2007 | 0.0000 | -0.0300 | 0.0000 | 1.6200 | 54.3900 | -77.8080 |
| 5-Jun-2007 | 0.0000 | 0.5700 | 1.4580 | 4.0320 | 5.3220 | -153.4320 |
| 6-Jun-2007 | 0.0000 | -2.3700 | 0.0000 | -11.0340 | 13.4100 | -242.9220 |
| 7-Jun-2007 | 0.0000 | -2.5500 | 0.0000 | 5.8500 | 12.0180 | -193.7100 |
| 8-Jun-2007 | 0.0000 | -3.8100 | 0.0900 | 0.7560 | 7.6500 | -192.1200 |
| 9-Jun-2007 | 0.0000 | -3.9900 | 0.0000 | 0.1080 | 22.0800 | -163.1220 |
| 10-Jun-2007 | 0.0000 | 0.0000 | 0.0000 | -0.5940 | 57.4500 | -0.5940 |
| Total | 0.0000 | -12.1800 | 1.5480 | 0.7380 | 172.3200 | -1023.7080 |

| Date | TOTAL MVARH | | (IN Rs.) | |
|--------------|---------------|-----------------|-----------------|------------------|
| | HV | LV | HV | LV |
| 4-Jun-2007 | 54.390 | -77.808 | -2719.500 | -3890.400 |
| 5-Jun-2007 | 5.322 | -153.432 | -266.100 | -7671.600 |
| 6-Jun-2007 | 13.410 | -242.922 | -670.500 | -12146.100 |
| 7-Jun-2007 | 12.018 | -193.710 | -600.900 | -9685.500 |
| 8-Jun-2007 | 7.650 | -192.120 | -382.500 | -9606.000 |
| 9-Jun-2007 | 22.080 | -163.122 | -1104.000 | -8156.100 |
| 10-Jun-2007 | 57.450 | -0.594 | -2872.500 | -29.700 |
| Total | 172.32 | -1023.71 | -8616.00 | -51185.40 |

| | | |
|----------------------------|---------------------|----------------------|
| For HV Conditions : | To Receive : | Rs.8,616.00 |
| For LV Conditions : | To Receive : | Rs. 51,185.40 |

Note : (1) All figures are in MVARH.
(2) All Poistive Values indicate drawal of VARS by utilities from GETCO.
(3) VARH Cahrge rates are Rs. 50.00 per MVARH.
(4) The charges have been calculated based on the GERC order no.03 Clause 10 (C).

राज्य भार प्रेषण केन्द्र

STATE LOAD DISPATCH CENTRE

Vadodara -390002, Website : www.sldcguj.com

No. SLDC / ABT / Comm / REC / Week 11/6.1 28-Jul-07

Reactive Energy Charges for UGVCL for the Week
from 28-May-07 to 03-June-07

| Date | 2CHATRL-GTP-1S | 2CHATRL-GTP-1S | 2CHATRL-GTP-2S | 2CHATRL-GTP-2S | 2DEODR-ANJR1M | 2DEODR-ANJR1M | 1DDUKA-BRVLA1M | 1DDUKA-BRVLA1M |
|--------------|------------------|----------------|----------------|----------------|-------------------|---------------|----------------|----------------|
| | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) |
| 4-Jun-2007 | -52.0800 | 0.0000 | 7.9200 | 0.0000 | -290.7600 | 0.0000 | 2.6640 | 0.0000 |
| 5-Jun-2007 | -48.7200 | 0.0000 | 22.0800 | 0.0000 | -536.1600 | 0.0000 | 1.9800 | 0.0000 |
| 6-Jun-2007 | -14.7600 | 0.0000 | 38.0400 | 0.0000 | -511.2000 | 0.0000 | 0.6480 | 0.6120 |
| 7-Jun-2007 | 7.8000 | 0.0000 | 33.2400 | 0.0000 | -312.7200 | 0.0000 | 0.0000 | 1.8000 |
| 8-Jun-2007 | -9.7200 | 0.0000 | 10.4400 | 0.0000 | -243.7200 | 0.0000 | 0.0000 | 22.1760 |
| 9-Jun-2007 | -36.8400 | 0.0000 | -3.0000 | 0.0000 | -308.4000 | 0.0000 | 0.2880 | 0.0000 |
| 10-Jun-2007 | -73.0800 | 0.0000 | -16.3200 | 0.0000 | -405.6000 | 0.0000 | 1.1160 | 0.0000 |
| Total | -227.4000 | 0.0000 | 92.4000 | 0.0000 | -2608.5600 | 0.0000 | 6.6960 | 24.5880 |

| Date | 1DDUKA-DGBP1S | 1DDUKA-DGBP1S | 1DDUKA-DGBP2S | 1DDUKA-DGBP2S | 1DDUKA-PLIAD1M | 1DDUKA-PLIAD1M | 1DDUKA-VIKRM1M | 1DDUKA-VIKRM1M |
|--------------|----------------|----------------|----------------|----------------|----------------|-----------------|----------------|------------------|
| | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) |
| 4-Jun-2007 | -1.3680 | 0.0000 | -1.8720 | 0.0000 | 3.8880 | 0.0000 | -0.3600 | 0.0000 |
| 5-Jun-2007 | 0.7920 | 0.0000 | 0.6480 | 0.0000 | 1.0080 | 0.0000 | -0.0720 | 0.0000 |
| 6-Jun-2007 | -0.5040 | -0.5760 | -1.8720 | -0.5760 | 0.5040 | 1.8000 | 0.0000 | -16.6320 |
| 7-Jun-2007 | 0.0000 | -1.3680 | 0.0000 | -1.0080 | 0.0000 | 7.9200 | 0.0000 | -67.1040 |
| 8-Jun-2007 | 0.0000 | 36.5760 | 0.0000 | 34.9920 | 0.0000 | -61.0560 | 0.0000 | -110.6640 |
| 9-Jun-2007 | 0.2880 | 0.0000 | 0.4320 | 0.0000 | -0.2160 | 0.0000 | 0.0000 | -5.9040 |
| 10-Jun-2007 | 0.0720 | 0.0000 | 0.0000 | 0.0000 | 0.7200 | 0.0000 | 0.0000 | 0.0000 |
| Total | -0.7200 | 34.6320 | -2.6640 | 33.4080 | 5.9040 | -51.3360 | -0.4320 | -200.3040 |

| Date | 2DSURA-KHPS1S | 2DSURA-KHPS1S | 2DSURA-KHPS2S | 2DSURA-KHPS2S | 2DSURA-WTPS1S | 2DSURA-WTPS1S | 2DSURA-WTPS2S | 2DSURA-WTPS2S |
|--------------|----------------|---------------|----------------|---------------|---------------|---------------|---------------|---------------|
| | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) |
| 4-Jun-2007 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| 5-Jun-2007 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| 6-Jun-2007 | -2.0400 | 0.0000 | -1.9200 | 0.0000 | 0.2400 | 0.0000 | 0.1200 | 0.0000 |
| 7-Jun-2007 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| 8-Jun-2007 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| 9-Jun-2007 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| 10-Jun-2007 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Total | -2.0400 | 0.0000 | -1.9200 | 0.0000 | 0.2400 | 0.0000 | 0.1200 | 0.0000 |

| Date | 6DHOLK-KHEDA1M | 6DHOLK-KHEDA1M | 2JAMLA-GTPS-1S | 2JAMLA-GTPS-1S | 2JAMLA-GTPS-2S | 2JAMLA-GTPS-2S | 6KNBA-MHBAD2M | 6KNBA-MHBAD2M |
|--------------|----------------|----------------|-----------------|----------------|-----------------|----------------|------------------|---------------|
| | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) |
| 4-Jun-2007 | 0.0900 | 0.0000 | 82.6800 | 0.0000 | 97.8000 | 0.0000 | -64.8000 | 0.0000 |
| 5-Jun-2007 | 1.3140 | 0.0000 | 4.8000 | 0.0000 | 17.1600 | 0.0000 | -33.5700 | 0.0000 |
| 6-Jun-2007 | 1.4220 | 0.0000 | 83.4000 | 0.0000 | 77.6400 | 0.0000 | -41.7420 | 0.0000 |
| 7-Jun-2007 | 0.0000 | 0.0000 | 73.8000 | 0.0000 | 67.0800 | 0.0000 | -15.8400 | 0.0000 |
| 8-Jun-2007 | 0.0000 | 0.0360 | 63.9600 | 0.0000 | 57.8400 | 0.0000 | -19.8000 | 0.0000 |
| 9-Jun-2007 | 0.0000 | 0.0000 | 82.0800 | 0.0000 | 71.6400 | 0.0000 | -16.8300 | 0.0000 |
| 10-Jun-2007 | 0.5220 | 0.0000 | 72.6000 | 0.0000 | 64.5600 | 0.0000 | -35.7300 | 0.0000 |
| Total | 3.3480 | 0.0360 | 463.3200 | 0.0000 | 453.7200 | 0.0000 | -228.3120 | 0.0000 |

राज्य भार प्रेषण केन्द्र

STATE LOAD DISPATCH CENTRE

Vadodara -390002, Website : www.sldcguj.com

Reactive Energy Charges for UGVCL for the Week
from 28-May-07 to 03-June-07

3T /Comm /REC/ Week 11/6.1

28-Jul-07

| Date | 2KHPR-DHGAM1M | 2KHPR-DHGAM1M | 2KHPR-DHGAM2M | 2KHPR-DHGAM2M | 2KHNPR-KDVNJ1M | 2KHNPR-KDVNJ1M | 2KHNPR-KDVNJ2M | 2KHNPR-KDVNJ2M |
|--------------|-------------------|---------------|-------------------|---------------|------------------|----------------|------------------|----------------|
| | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) |
| 4-Jun-2007 | -458.6400 | 0.0000 | -458.0400 | 0.0000 | -68.1600 | 0.0000 | -65.5200 | 0.0000 |
| 5-Jun-2007 | -408.2400 | 0.0000 | -427.4400 | 0.0000 | -109.3200 | 0.0000 | -114.0000 | 0.0000 |
| 6-Jun-2007 | -295.9200 | 0.0000 | -341.8800 | 0.0000 | -50.5200 | 0.0000 | -61.3200 | 0.0000 |
| 7-Jun-2007 | -289.4400 | 0.0000 | -521.1600 | 0.0000 | -71.5200 | 0.0000 | -91.9200 | 0.0000 |
| 8-Jun-2007 | -255.6000 | 0.0000 | -344.5200 | 0.0000 | -17.0400 | 0.0000 | -24.6000 | 0.0000 |
| 9-Jun-2007 | -339.7200 | 0.0000 | -406.4400 | 0.0000 | -33.3600 | 0.0000 | -52.5600 | 0.0000 |
| 10-Jun-2007 | -411.1200 | 0.0000 | -410.8800 | 0.0000 | -73.0800 | 0.0000 | -70.4400 | 0.0000 |
| Total | -2458.6800 | 0.0000 | -2910.3600 | 0.0000 | -423.0000 | 0.0000 | -480.3600 | 0.0000 |

| Date | 6MHBAD-BRJD11M | 6MHBAD-BRJD11M | 2KHNPR-NICOL1S | 2KHNPR-NICOL1S | 2KHNPR-NICOL2S | 2KHNPR-NICOL2S | 6KANZ-VANODI1M | 6KANZ-VANODI1M |
|--------------|----------------|----------------|------------------|----------------|------------------|----------------|----------------|----------------|
| | MVARh(H) □ | MVARh(L) | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) |
| 4-Jun-2007 | 0.0000 | 0.0000 | 311.2800 | 0.0000 | 310.3200 | 0.0000 | 6.4260 | 0.0000 |
| 5-Jun-2007 | 0.0000 | 0.0000 | 315.9600 | 0.0000 | 341.1600 | 0.0000 | 0.5040 | 0.0000 |
| 6-Jun-2007 | 0.0000 | 0.0000 | 213.7200 | 0.0000 | 255.6000 | 0.0000 | 1.0800 | 0.0000 |
| 7-Jun-2007 | 0.0000 | 0.0000 | 277.6800 | 0.0000 | 364.3200 | 0.0000 | 1.9080 | 0.0000 |
| 8-Jun-2007 | 0.0000 | 0.0000 | 142.2000 | 0.0000 | 206.2800 | 0.0000 | 4.2300 | 0.0000 |
| 9-Jun-2007 | 0.0000 | 0.0000 | 246.0000 | 0.0000 | 322.8000 | 0.0000 | 6.4620 | 0.0000 |
| 10-Jun-2007 | 0.0000 | 0.0000 | 89.7600 | 0.0000 | 506.2800 | 0.0000 | 4.4460 | 0.0000 |
| Total | 0.0000 | 0.0000 | 1596.6000 | 0.0000 | 2306.7600 | 0.0000 | 25.0560 | 0.0000 |

| Date | 2MHSANA-GTP1S | 2MHSANA-GTP1S | 2MHSANA-GTP2S | 2MHSANA-GTP2S | 6RADEJA-AEC-1S | 6RADEJA-AEC-1S | 2RNSN-DHGAM1M | 2RNSN-DHGAM1M |
|--------------|----------------|---------------|----------------|---------------|----------------|----------------|-------------------|---------------|
| | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) |
| 4-Jun-2007 | 10.0800 | 0.0000 | 28.0800 | 0.0000 | 5.8140 | 0.0000 | -467.2800 | 0.0000 |
| 5-Jun-2007 | 6.7200 | 0.0000 | 9.8400 | 0.0000 | -1.7820 | 0.0000 | -457.4400 | 0.0000 |
| 6-Jun-2007 | 0.0000 | 0.0000 | -0.7200 | 0.0000 | -1.8360 | 0.0000 | -427.4400 | 0.0000 |
| 7-Jun-2007 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 2.4840 | 0.0000 | -232.3200 | 0.0000 |
| 8-Jun-2007 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | -1.5660 | 0.0000 | -228.1200 | 0.0000 |
| 9-Jun-2007 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | -1.4040 | 0.0000 | -251.5200 | 0.0000 |
| 10-Jun-2007 | 0.0000 | 0.0000 | 2.6400 | 0.0000 | 3.4740 | 0.0000 | -470.4000 | 0.0000 |
| Total | 16.8000 | 0.0000 | 39.8400 | 0.0000 | 5.1840 | 0.0000 | -2534.5200 | 0.0000 |

| Date | 2RNSN-DHGAM2M | 2RNSN-DHGAM2M | 2RNSN-GTPS1 | 2RNSN-GTPS1 | 2RNSN-GTPS2 | 2RNSN-GTPS2 | 2RNSN-KPVNJ1M | 2RNSN-KPVNJ1M |
|--------------|-------------------|---------------|-------------------|---------------|------------------|---------------|------------------|---------------|
| | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) |
| 4-Jun-2007 | -456.0000 | 0.0000 | -201.8400 | 0.0000 | -150.7200 | 0.0000 | -136.0800 | 0.0000 |
| 5-Jun-2007 | -448.8000 | 0.0000 | -170.6400 | 0.0000 | -102.4800 | 0.0000 | -165.3600 | 0.0000 |
| 6-Jun-2007 | -404.1600 | 0.0000 | -144.4800 | 0.0000 | -85.6800 | 0.0000 | -131.2800 | 0.0000 |
| 7-Jun-2007 | -221.6400 | 0.0000 | -66.7200 | 0.0000 | -48.4800 | 0.0000 | -63.3600 | 0.0000 |
| 8-Jun-2007 | -212.7600 | 0.0000 | -106.5600 | 0.0000 | -59.7600 | 0.0000 | -41.2800 | 0.0000 |
| 9-Jun-2007 | -234.6000 | 0.0000 | -132.0000 | 0.0000 | -116.8800 | 0.0000 | -69.6000 | 0.0000 |
| 10-Jun-2007 | -437.4000 | 0.0000 | -238.8000 | 0.0000 | -167.0400 | 0.0000 | -129.6000 | 0.0000 |
| Total | -2415.3600 | 0.0000 | -1061.0400 | 0.0000 | -731.0400 | 0.0000 | -736.5600 | 0.0000 |

राज्य भार प्रेषण केन्द्र

STATE LOAD DISPATCH CENTRE

Vadodara -390002, Website : www.sldcguj.com

No. SLDC / ABT / Comm / REC / Week 11/6.1

28-Jul-07

**Reactive Energy Charges for UGVCL for the Week
from 28-May-07 to 03-June-07**

| Date | 2RNSN-KRSAD1M | 2RNSN-KRSAD1M | 2RNSN-KRSAD2M | 2RNSN-KRSAD2M | 6RNSN-RIL1S | 6RNSN-RIL1S | 6RNSN-RIL2S | 6RNSN-RIL2S |
|--------------|-----------------|---------------|-----------------|---------------|------------------|---------------|------------------|---------------|
| | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) |
| 4-Jun-2007 | -30.8400 | 0.0000 | -29.7600 | 0.0000 | -45.1440 | 0.0000 | 23.3280 | 0.0000 |
| 5-Jun-2007 | -3.1200 | 0.0000 | -1.6800 | 0.0000 | -218.6640 | 0.0000 | 4.6440 | 0.0000 |
| 6-Jun-2007 | 36.8400 | 0.0000 | 39.8400 | 0.0000 | -15.4440 | 0.0000 | 9.7920 | 0.0000 |
| 7-Jun-2007 | 26.1600 | 0.0000 | 27.3600 | 0.0000 | -140.2920 | 0.0000 | -67.3920 | 0.0000 |
| 8-Jun-2007 | 36.1200 | 0.0000 | 45.3600 | 0.0000 | -86.1120 | 0.0000 | -47.7000 | 0.0000 |
| 9-Jun-2007 | 47.8800 | 0.0000 | 52.0800 | 0.0000 | -137.1960 | 0.0000 | -70.0560 | 0.0000 |
| 10-Jun-2007 | 33.2400 | 0.0000 | 38.2800 | 0.0000 | -200.0160 | 0.0000 | -83.4840 | 0.0000 |
| Total | 146.2800 | 0.0000 | 171.4800 | 0.0000 | -842.8680 | 0.0000 | -230.8680 | 0.0000 |

| Date | 2RNSN-WTPS1 | 2RNSN-WTPS1 | 2SNKARI-SIVLK1M | 2SNKARI-SIVLK1M | 1SBRMATI-AEC1 | 1SBRMATI-AEC1 | 1SBRMATI-AEC2 | 1SBRMATI-AEC2 |
|--------------|-------------------|---------------|-------------------|-----------------|------------------|---------------|------------------|---------------|
| | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) |
| 4-Jun-2007 | -177.3600 | 0.0000 | -620.6400 | 0.0000 | 615.6720 | 0.0000 | 554.1120 | 0.0000 |
| 5-Jun-2007 | -242.6400 | 0.0000 | -485.6400 | 0.0000 | 652.4640 | 0.0000 | 609.5520 | 0.0000 |
| 6-Jun-2007 | -174.0000 | 0.0000 | -736.2000 | 0.0000 | 539.5680 | 0.0000 | 496.2240 | 0.0000 |
| 7-Jun-2007 | -67.2000 | 0.0000 | 0.0000 | 0.0000 | 408.3120 | 0.0000 | 398.1600 | 0.0000 |
| 8-Jun-2007 | -78.7200 | 0.0000 | 0.0000 | 0.0000 | 319.8240 | 0.0000 | 290.0880 | 0.0000 |
| 9-Jun-2007 | -81.6000 | 0.0000 | -610.0800 | 0.0000 | 348.4800 | 0.0000 | 281.1600 | 0.0000 |
| 10-Jun-2007 | -188.1600 | 0.0000 | -706.6800 | 0.0000 | 527.8320 | 0.0000 | 447.5520 | 0.0000 |
| Total | -1009.6800 | 0.0000 | -3159.2400 | 0.0000 | 3412.1520 | 0.0000 | 3076.8480 | 0.0000 |

| Date | 2SLJDA-CHORN1M | 2SLJDA-CHORN1M | 2SLJD-KRSAD1M | 2SLJD-KRSAD1M | 4SOJA-DEHGM-1M | 4SOJA-DEHGM-1M | 2SOJA-GTPS1S | 2SOJA-GTPS1S |
|--------------|-------------------|----------------|------------------|---------------|----------------|----------------|-----------------|---------------|
| | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) |
| 4-Jun-2007 | -833.7600 | 0.0000 | 591.8400 | 0.0000 | 152.0000 | 0.0000 | 77.5200 | 0.0000 |
| 5-Jun-2007 | -890.8800 | 0.0000 | 665.1600 | 0.0000 | -23.6364 | 0.0000 | 51.1200 | 0.0000 |
| 6-Jun-2007 | -877.4400 | 0.0000 | 587.5200 | 0.0000 | -11.2727 | 0.0000 | 38.6400 | 0.0000 |
| 7-Jun-2007 | -786.7200 | 0.0000 | 545.2800 | 0.0000 | -29.0909 | 0.0000 | 14.8800 | 0.0000 |
| 8-Jun-2007 | -475.3200 | 0.0000 | 338.8800 | 0.0000 | -3.6364 | 0.0000 | 0.0000 | 0.0000 |
| 9-Jun-2007 | -752.2800 | 0.0000 | 562.6800 | 0.0000 | 14.9091 | 0.0000 | 1.6800 | 0.0000 |
| 10-Jun-2007 | -738.2400 | 0.0000 | 525.8400 | 0.0000 | -31.2727 | 0.0000 | 49.6800 | 0.0000 |
| Total | -5354.6400 | 0.0000 | 3817.2000 | 0.0000 | 68.0000 | 0.0000 | 233.5200 | 0.0000 |

| Date | 2SOJA-GTPS2S | 2SOJA-GTPS2S | 4SOJA-WTPS-1S | 4SOJA-WTPS-1S | 6STBA-BSINOR1M | 6STBA-BSINOR1M | 1VTVA-DTPS1 | 1VTVA-DTPS1 |
|--------------|-----------------|---------------|-------------------|---------------|----------------|----------------|-----------------|---------------|
| | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) |
| 4-Jun-2007 | 107.5200 | 0.0000 | -568.0000 | 0.0000 | 0.0000 | 0.0000 | 49.1040 | 0.0000 |
| 5-Jun-2007 | 53.0400 | 0.0000 | -664.7273 | 0.0000 | 0.0000 | 0.0000 | 71.4960 | 0.0000 |
| 6-Jun-2007 | 41.0400 | 0.0000 | -472.0000 | 0.0000 | 0.0000 | 0.0000 | 73.3680 | 0.0000 |
| 7-Jun-2007 | 24.0000 | 0.0000 | -471.2727 | 0.0000 | 0.0000 | 0.0000 | 21.1680 | 0.0000 |
| 8-Jun-2007 | 6.4800 | 0.0000 | -361.0909 | 0.0000 | 0.0000 | 0.0000 | 39.2400 | 0.0000 |
| 9-Jun-2007 | 26.6400 | 0.0000 | -228.0000 | 0.0000 | 0.0000 | 0.0000 | 45.7200 | 0.0000 |
| 10-Jun-2007 | 62.8800 | 0.0000 | -617.4545 | 0.0000 | 0.0000 | 0.0000 | 72.5040 | 0.0000 |
| Total | 321.6000 | 0.0000 | -3382.5455 | 0.0000 | 0.0000 | 0.0000 | 372.6000 | 0.0000 |

राज्य भार प्रेषण केन्द्र

STATE LOAD DISPATCH CENTRE

Vadodara -390002, Website : www.sldcguj.com

No. SLDC / ABT / Comm / REC / Week 11/6.1

28-Jul-07

**Reactive Energy Charges for UGVCL for the Week
from 28-May-07 to 03-June-07**

| Date | 1VTVA-DTPS2 | 1VTVA-DTPS2 | 1VTVA-MHBAD1M | 1VTVA-MHBAD1M | 6VTVA-NRPUR1M | 6VTVA-NRPUR1M | 4VADVI-DEHGM1M | 4VADVI-DEHGM1M |
|--------------|------------------|----------------|------------------|----------------|-----------------|----------------|--------------------|------------------|
| | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) |
| 4-Jun-2007 | 47.0880 | 0.0000 | 208.2240 | 0.0000 | 125.8200 | 0.0000 | 0.0000 | 0.0000 |
| 5-Jun-2007 | 67.7520 | 0.0000 | 171.5760 | 0.0000 | 51.5250 | 0.0000 | 0.0000 | 0.0000 |
| 6-Jun-2007 | 44.3520 | 0.0000 | 150.7680 | 0.0000 | 52.2900 | 0.0000 | 0.0000 | 0.0000 |
| 7-Jun-2007 | 6.8400 | 0.0000 | 101.9520 | 0.0000 | -1.3050 | 0.0000 | 0.0000 | 0.0000 |
| 8-Jun-2007 | 28.5120 | 0.0000 | 119.9520 | 0.0000 | 2.7900 | 0.0000 | 0.0000 | 0.0000 |
| 9-Jun-2007 | 29.7360 | 0.0000 | 148.1040 | 0.0000 | 39.9600 | 0.0000 | 0.0000 | 0.0000 |
| 10-Jun-2007 | 63.5760 | 0.0000 | 185.1120 | 0.0000 | 114.9600 | 0.0000 | 0.0000 | 0.0000 |
| Total | 287.8560 | 0.0000 | 1085.6880 | 0.0000 | 386.0400 | 0.0000 | 0.0000 | 0.0000 |
| Date | 2VRGM-CORNIA1M | 2VRGM-CORNIA1M | 2VGAM-DHANKI1M | 2VGAM-DHANKI1M | 2VGAM-DHANKI2M | 2VGAM-DHANKI2M | 6VGAM-KMPUR1M | 6VGAM-KMPUR1M |
| | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) |
| 4-Jun-2007 | -144.1200 | 0.0000 | -17.6400 | 0.0000 | -15.9600 | 0.0000 | -0.8820 | 0.0000 |
| 5-Jun-2007 | -226.6800 | 0.0000 | -29.5200 | 0.0000 | -28.9200 | 0.0000 | -0.7380 | 0.0000 |
| 6-Jun-2007 | -147.9600 | 0.0000 | -20.8800 | 0.0000 | -19.4400 | 0.0000 | 0.5580 | 0.0000 |
| 7-Jun-2007 | -3.6000 | 0.0000 | -0.9600 | 0.0000 | -0.7200 | 0.0000 | -1.6020 | 0.0000 |
| 8-Jun-2007 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | -1.2060 | 0.0000 |
| 9-Jun-2007 | 0.0000 | 0.0000 | 0.0000 | -0.2400 | 0.0000 | -0.2400 | -0.6660 | 0.0000 |
| 10-Jun-2007 | -0.4800 | 0.0000 | 0.0000 | 0.0000 | -0.1200 | 0.0000 | -2.3580 | 0.0000 |
| Total | -522.8400 | 0.0000 | -69.0000 | -0.2400 | -65.1600 | -0.2400 | -6.8940 | 0.0000 |
| Date | 6VGAM-LKTAR1M | 6VGAM-LKTAR1M | 6VGAM-PATDI1M | 6VGAM-PATDI1M | 6ZAMP-LKHTAR1M | 6ZAMP-LKHTAR1M | REACT UG - GETCO | REACT UG - GETCO |
| | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) |
| 4-Jun-2007 | -4.0500 | 0.0000 | 25.8660 | 0.0000 | -5.8680 | 0.0000 | -1922.4080 | 0.0000 |
| 5-Jun-2007 | -3.6360 | 0.0000 | 23.2020 | 0.0000 | -1.3140 | 0.0000 | -2700.3226 | 0.0000 |
| 6-Jun-2007 | -7.1820 | 0.0000 | 20.8980 | 0.0000 | 0.0000 | 0.0000 | -2196.9807 | -15.3720 |
| 7-Jun-2007 | -5.8500 | 0.0000 | 11.1780 | 0.0000 | -3192.7320 | -4.1400 | -4290.2546 | -63.9000 |
| 8-Jun-2007 | -4.8060 | 0.0000 | 12.3480 | 0.0000 | 3190.4280 | 4.1400 | 2291.3347 | -73.8000 |
| 9-Jun-2007 | -1.6020 | 0.0000 | 15.9300 | 0.0000 | -5.7600 | 0.0000 | -1545.6609 | -6.3840 |
| 10-Jun-2007 | 1.9080 | 0.0000 | 19.8360 | 0.0000 | -6.3180 | 0.0000 | -2624.6833 | 0.0000 |
| Total | -25.2180 | 0.0000 | 129.2580 | 0.0000 | -21.5640 | 0.0000 | -12988.9755 | -159.4560 |

राज्य भार प्रेषण केन्द्र

STATE LOAD DISPATCH CENTRE

Vadodara -390002, Website : www.sldcguj.com

0

| No. SLDC / ABT / Comm / REC / Week 11/6.1 | | 28-Jul-07 | | |
|---|---------------------|----------------|------------------|-----------------|
| Date | TOTAL MVARH | | (IN Rs.) | |
| | HV | LV | HV | LV |
| 4-Jun-2007 | -1922.408 | 0.000 | 96120.4 | 0.00 |
| 5-Jun-2007 | -2700.323 | 0.000 | 135016.1318 | 0 |
| 6-Jun-2007 | -2196.981 | -15.372 | 109849.0364 | -768.6 |
| 7-Jun-2007 | -4290.255 | -63.900 | 214512.7319 | -3195 |
| 8-Jun-2007 | 2291.335 | -73.800 | -114566.7364 | -3690 |
| 9-Jun-2007 | -1545.661 | -6.384 | 77283.04545 | -319.20 |
| 10-Jun-2007 | -2624.683 | 0.000 | 131234.1637 | 0 |
| Total | -12988.97545 | -159.46 | 649448.77 | -7972.80 |

Note :

- (1) All figures are in MVARH.
- (2) All Poistive Values indicate drawal of VARS by utilities from GETCO.
- (3) VARH Cahрге rates are Rs. 50.00 per MVARH.
- (4) The charges have been calculated based on the GERC order no.03 Clause 10 (C).

| | | |
|----------------------------|---------------------|-----------------------|
| For HV Conditions : | To Pay : | Rs.6,49,448.77 |
| For LV Conditions : | To Receive : | Rs.7,972.80 |

1

राज्य भार प्रेषण केन्द्र

STATE LOAD DISPATCH CENTRE

Vadodara -390002, Website : www.sldcguj.com

No. SLDC / ABT /Comm /REC/ Week 11/6.1

28-Jul-07

Reactive Energy Charges for PGVCL for the Week
from 28-May-07 to 03-June-07

| Date | 2AMRELI-ICT-1S | 2AMRELI-ICT-1S | 2AMRELI-ICT-2S | 2AMRELI-ICT-2S | 2ANJAR-DEODR1M | 2ANJAR-DEODR1M | 6ANJAR-KPT1M | 6ANJAR-KPT1M |
|--------------|-----------------|----------------|-----------------|----------------|-----------------|----------------|----------------|---------------|
| | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) |
| 4-Jun-2007 | 39.3600 | 0.0000 | 2.8800 | 0.0000 | 14.7600 | 0.0000 | -0.7200 | 0.0000 |
| 5-Jun-2007 | 61.6800 | 0.0000 | 26.6400 | 0.0000 | -32.1600 | 0.0000 | -0.0600 | 0.0000 |
| 6-Jun-2007 | 93.1200 | 0.0000 | 69.1200 | 0.0000 | 141.1200 | 0.0000 | -0.5640 | 0.0000 |
| 7-Jun-2007 | 78.2400 | 0.0000 | 54.4800 | 0.0000 | 171.3600 | 0.0000 | -0.0480 | 0.0000 |
| 8-Jun-2007 | 57.3600 | 75.1200 | 36.2400 | 77.0400 | 97.3200 | 0.0000 | -0.1380 | 0.0000 |
| 9-Jun-2007 | 97.9200 | 0.0000 | 75.3600 | 0.0000 | -25.6800 | 0.0000 | -0.4320 | 0.0000 |
| 10-Jun-2007 | 100.8000 | 0.0000 | 72.0000 | 0.0000 | -24.7200 | 0.0000 | -0.0120 | 0.0000 |
| Total | 528.4800 | 75.1200 | 336.7200 | 77.0400 | 342.0000 | 0.0000 | -1.9740 | 0.0000 |

| Date | 6ANJAR-KPT2M | 6ANJAR-KPT2M | 2ANJAR-KLTPS2S | 2ANJAR-KLTPS2S | 1BHATIA-STPS1S | 1BHATIA-STPS1S | 1BRVL-DNDUK1M | 1BRVL-DNDUK1M |
|--------------|-------------------|---------------|-------------------|----------------|------------------|----------------|-----------------|-----------------|
| | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) |
| 4-Jun-2007 | 0.0000 | 0.0000 | -394.4400 | 0.0000 | -344.5200 | 0.0000 | -15.8040 | 0.0000 |
| 5-Jun-2007 | -389.4000 | 0.0000 | -395.5200 | 0.0000 | 4.1760 | 0.0000 | -28.2600 | 0.0000 |
| 6-Jun-2007 | -498.3600 | 0.0000 | -507.8400 | 0.0000 | 8.9280 | 0.0000 | -15.7320 | -0.0360 |
| 7-Jun-2007 | -433.2000 | 0.0000 | -448.6800 | 0.0000 | 101.8800 | 0.0000 | 0.0000 | 0.0000 |
| 8-Jun-2007 | -341.7600 | 0.0000 | -348.0000 | 0.0000 | 9.9360 | -0.4320 | -0.1800 | -16.6320 |
| 9-Jun-2007 | -321.9600 | 0.0000 | -325.5600 | 0.0000 | -141.2640 | 0.0000 | -3.8160 | 0.0000 |
| 10-Jun-2007 | -391.0800 | 0.0000 | -392.1600 | 0.0000 | -196.4160 | 0.0000 | -13.0320 | 0.0000 |
| Total | -2375.7600 | 0.0000 | -2812.2000 | 0.0000 | -557.2800 | -0.4320 | -76.8240 | -16.6680 |

| Date | 2CHORNIA-ICT-1 | 2CHORNIA-ICT-1 | 2CHORNIA-ICT-2 | 2CHORNIA-ICT-2 | 2CORNIA-SLJD1M | 2CORNIA-SLJD1M | 2CORNIA-VRGM1M | 2CORNIA-VRGM1M |
|--------------|-------------------|----------------|-------------------|----------------|------------------|----------------|------------------|----------------|
| | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) |
| 4-Jun-2007 | -1270.8000 | 0.0000 | -1206.6000 | 0.0000 | 613.2000 | 0.0000 | 673.3200 | 0.0000 |
| 5-Jun-2007 | -1121.4000 | -0.6000 | -1054.5000 | -0.3000 | 629.5200 | 0.2400 | 569.5200 | 0.1200 |
| 6-Jun-2007 | -998.1000 | 0.0000 | -953.4000 | 0.0000 | 624.9600 | 0.0000 | 472.8000 | 0.1200 |
| 7-Jun-2007 | -1078.8000 | 0.0000 | -1133.4000 | 0.0000 | 636.2400 | 0.0000 | 465.0000 | 0.0000 |
| 8-Jun-2007 | -915.9000 | 0.0000 | -598.8000 | 0.0000 | 434.8800 | 0.0000 | 267.2400 | 0.0000 |
| 9-Jun-2007 | -1193.7000 | 0.0000 | -1141.8000 | 0.0000 | 532.9200 | 0.0000 | 305.1600 | 0.0000 |
| 10-Jun-2007 | -1356.3000 | 0.0000 | -1200.9000 | 0.0000 | 509.2800 | 0.0000 | 412.3200 | 0.0000 |
| Total | -7935.0000 | -0.6000 | -7289.4000 | -0.3000 | 3981.0000 | 0.2400 | 3165.3600 | 0.2400 |

| Date | 2DHANKI-VGAM1M | 2DHANKI-VGAM1M | 2DHANKI-VGAM2M | 2DHANKI-VGAM2M | 6FTZ-KPT1M | 6FTZ-KPT1M | 2HADALA-ICT-1S | 2HADALA-ICT-1S |
|--------------|----------------|----------------|----------------|----------------|----------------|----------------|------------------|----------------|
| | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) |
| 4-Jun-2007 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | -0.8100 | -0.0120 | 118.5600 | 0.0000 |
| 5-Jun-2007 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | -0.1140 | -0.0060 | 0.0000 | 0.0000 |
| 6-Jun-2007 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | -0.3600 | -0.5580 | 0.0000 | 0.0000 |
| 7-Jun-2007 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | -0.8700 | 133.9200 | 0.0000 |
| 8-Jun-2007 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | -1.2360 | 226.3200 | 0.0000 |
| 9-Jun-2007 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | -0.0180 | -0.6060 | 166.0800 | 0.0000 |
| 10-Jun-2007 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | -0.1020 | 436.3200 | 0.0000 |
| Total | 0.0000 | 0.0000 | 0.0000 | 0.0000 | -1.3020 | -3.3900 | 1081.2000 | 0.0000 |

राज्य भार प्रेषण केन्द्र

STATE LOAD DISPATCH CENTRE

Vadodara -390002, Website : www.sldcguj.com

**Reactive Energy Charges for PGVCL for the Week
from 28-May-07 to 03-June-07**

| Date | 2HADALA-ICT-2S | 2HADALA-ICT-2S | 2JETPUR-ICT-1S | 2JETPUR-ICT-1S | 2JETPUR-ICT-2S | 2JETPUR-ICT-2S | 2JETPUR-ICT-3S | 2JETPUR-ICT-3S |
|--------------|------------------|----------------|------------------|----------------|------------------|----------------|------------------|----------------|
| | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) |
| 4-Jun-2007 | 300.9600 | 0.0000 | 544.0800 | 0.0000 | 485.0400 | 0.0000 | 497.2800 | 0.0000 |
| 5-Jun-2007 | 694.3200 | 0.0000 | 614.8800 | 0.0000 | 547.2000 | 0.0000 | 552.7200 | 0.0000 |
| 6-Jun-2007 | 673.6800 | 0.0000 | 502.5600 | 0.0000 | 447.6000 | 0.0000 | 451.2000 | 0.0000 |
| 7-Jun-2007 | 194.8800 | 0.0000 | 488.1600 | 0.0000 | 454.3200 | 0.0000 | 457.9200 | 0.0000 |
| 8-Jun-2007 | 0.0000 | 0.0000 | 293.0400 | 0.0000 | 262.5600 | 0.0000 | 264.4800 | 0.0000 |
| 9-Jun-2007 | 0.0000 | 0.0000 | 512.8800 | 0.0000 | 470.4000 | 0.0000 | 471.3600 | 0.0000 |
| 10-Jun-2007 | 0.0000 | 0.0000 | 583.4400 | 0.0000 | 530.1600 | 0.0000 | 529.4400 | 0.0000 |
| Total | 1863.8400 | 0.0000 | 3539.0400 | 0.0000 | 3197.2800 | 0.0000 | 3224.4000 | 0.0000 |

| Date | 1JMNGR-STPS1S | 1JMNGR-STPS1S | 1JMNGR-STPS2S | 1JMNGR-STPS2S | 1JSDN-DDUKA1M | 1JSDN-DDUKA1M | 6KPUR-VRGAM1M | 6KPUR-VRGAM1M |
|--------------|-----------------|---------------|-----------------|---------------|---------------|----------------|------------------|---------------|
| | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) |
| 4-Jun-2007 | 74.4480 | 0.0000 | 73.5840 | 0.0000 | 0.0000 | 0.0000 | -23.5620 | 0.0000 |
| 5-Jun-2007 | 46.8720 | 0.0000 | 62.0640 | 0.0000 | 0.0000 | 0.0000 | -6.3000 | 0.0000 |
| 6-Jun-2007 | 43.5600 | 0.0000 | 43.5600 | 0.0000 | 0.0000 | 0.0000 | -9.1080 | 0.0000 |
| 7-Jun-2007 | 30.2400 | 0.0000 | 30.1680 | 0.0000 | 0.0000 | 0.0000 | -13.2300 | 0.0000 |
| 8-Jun-2007 | 8.8560 | 0.0000 | 10.4400 | 0.0000 | 0.0000 | 37.7280 | -15.5700 | 0.0000 |
| 9-Jun-2007 | 13.8240 | 0.0000 | 3.3840 | 0.0000 | 0.0000 | 0.0000 | -23.4540 | 0.0000 |
| 10-Jun-2007 | 0.0000 | 0.0000 | 7.8480 | 0.0000 | 0.0000 | 0.0000 | -23.8320 | 0.0000 |
| Total | 217.8000 | 0.0000 | 231.0480 | 0.0000 | 0.0000 | 37.7280 | -115.0560 | 0.0000 |

| Date | 6LKTAR-ZAMP1M | 6LKTAR-ZAMP1M | 1LIMDI-DGBPS1 | 1LIMDI-DGBPS1 | 1LIMDI-DGBPS2 | 1LIMDI-DGBPS2 | 1NAGEDI-STPS1S | 1NAGEDI-STPS1S |
|--------------|---------------|---------------|----------------|---------------|-----------------|---------------|----------------|-----------------|
| | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) |
| 4-Jun-2007 | 0.0000 | 0.0000 | 16.9920 | 0.0000 | 19.0800 | 0.0000 | 7.8480 | 0.0000 |
| 5-Jun-2007 | 0.0000 | 0.0000 | 38.8080 | 0.0000 | 50.2560 | 0.0000 | 3.0960 | 0.0000 |
| 6-Jun-2007 | 0.0000 | 0.0000 | 39.3840 | 0.0000 | 44.4960 | 0.0000 | 8.7840 | 0.0000 |
| 7-Jun-2007 | 0.0000 | 0.0000 | 0.9360 | 0.0000 | 6.7680 | 0.0000 | 0.0000 | 0.0000 |
| 8-Jun-2007 | 0.0000 | 0.0000 | 0.0000 | 0.2160 | 0.0000 | 0.1440 | 0.0000 | -16.4160 |
| 9-Jun-2007 | 0.0000 | 0.0000 | 0.0000 | 0.2160 | 0.0000 | 0.0000 | 0.0000 | -5.0400 |
| 10-Jun-2007 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.3600 | 0.0000 | 0.0000 | 0.0000 |
| Total | 0.0000 | 0.0000 | 96.1200 | 0.4320 | 120.9600 | 0.1440 | 19.7280 | -21.4560 |

| Date | 2NKTRN-ATPS1S | 2NKTRN-ATPS1S | 2NKTRN-ATPS2S | 2NKTRN-ATPS2S | 2NKTRN-KLTPS1S | 2NKTRN-KLTPS1S | 2NKTRN-KLTPS2S | 2NKTRN-KLTPS2S |
|--------------|------------------|---------------|------------------|---------------|------------------|----------------|------------------|----------------|
| | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) |
| 4-Jun-2007 | -170.5200 | 0.0000 | -169.6800 | 0.0000 | -100.2000 | 0.0000 | -84.6000 | 0.0000 |
| 5-Jun-2007 | -79.9200 | 0.0000 | -78.6000 | 0.0000 | -104.7600 | 0.0000 | -78.8400 | 0.0000 |
| 6-Jun-2007 | -102.1200 | 0.0000 | -141.7200 | 0.0000 | -74.1600 | 0.0000 | -140.8800 | 0.0000 |
| 7-Jun-2007 | -172.0800 | 0.0000 | -120.1200 | 0.0000 | -85.9200 | 0.0000 | -85.0800 | 0.0000 |
| 8-Jun-2007 | -93.0000 | 0.0000 | -93.3600 | 0.0000 | -21.2400 | 0.0000 | -29.4000 | 0.0000 |
| 9-Jun-2007 | -167.0400 | 0.0000 | -166.9200 | 0.0000 | -88.8000 | 0.0000 | -87.9600 | 0.0000 |
| 10-Jun-2007 | -172.8000 | 0.0000 | -171.7200 | 0.0000 | -106.9200 | 0.0000 | -106.0800 | 0.0000 |
| Total | -957.4800 | 0.0000 | -942.1200 | 0.0000 | -582.0000 | 0.0000 | -612.8400 | 0.0000 |

राज्य भार प्रेषण केन्द्र

STATE LOAD DISPATCH CENTRE
Vadodara -390002, Website : www.sldcguj.com

Reactive Energy Charges for PGVCL for the Week
from 28-May-07 to 03-June-07

| Date | 6PATDI-VGAM1M | 6PATDI-VGAM1M | 1PLIYAD-ICT-1M | 1PLIYAD-ICT-1M | 1PLIYAD-ICT-2M | 1PLIYAD-ICT-2M | 1PLIYAD-ICT-3M | 1PLIYAD-ICT-3M |
|--------------|-----------------|---------------|----------------|-----------------|----------------|------------------|----------------|-----------------|
| | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) |
| 4-Jun-2007 | -3.1500 | 0.0000 | -3.4200 | 0.0000 | -3.5280 | 0.0000 | -0.7920 | 0.0000 |
| 5-Jun-2007 | -4.9680 | 0.0000 | -2.3400 | 0.0000 | -2.6280 | 0.0000 | -1.9170 | 0.0000 |
| 6-Jun-2007 | -2.5380 | 0.0000 | 0.0000 | -7.2720 | 0.0000 | -10.2600 | 0.0000 | -3.0330 |
| 7-Jun-2007 | -0.1260 | 0.0000 | 0.0000 | -26.4960 | 0.0000 | -31.6440 | 0.0000 | -11.5740 |
| 8-Jun-2007 | -0.3240 | 0.0000 | 0.0000 | -5.6880 | 0.0000 | -7.6320 | 0.0000 | -14.1840 |
| 9-Jun-2007 | 0.6120 | 0.0000 | -0.3960 | -14.1480 | -0.4680 | -16.0200 | -1.2150 | -5.0580 |
| 10-Jun-2007 | 0.3240 | 0.0000 | 0.0360 | -36.5400 | 0.0720 | -41.9400 | -0.3780 | -12.8790 |
| Total | -10.1700 | 0.0000 | -6.1200 | -90.1440 | -6.5520 | -107.4960 | -4.3020 | -46.7280 |

| Date | 1RNVAV-STPS1S | 1RNVAV-STPS1S | 1RPL-STPS1S | 1RPL-STPS1S | 2SIVLK-SNKARI1M | 2SIVLK-SNKARI1M | 1VKRM-DDUKA1M | 1VKRM-DDUKA1M |
|--------------|-----------------|----------------|-----------------|---------------|------------------|-----------------|---------------|-----------------|
| | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) |
| 4-Jun-2007 | 2.0160 | 0.0000 | 57.6720 | 0.0000 | 238.4400 | 0.0000 | 0.0000 | 0.0000 |
| 5-Jun-2007 | 8.6400 | 0.0000 | 57.8880 | 0.0000 | 202.5600 | 0.0000 | 0.0000 | 0.0000 |
| 6-Jun-2007 | 45.4320 | -0.8640 | 23.6880 | 0.0000 | 432.6000 | 0.0000 | 0.0000 | 29.8080 |
| 7-Jun-2007 | 73.6560 | -2.1600 | 12.4560 | 0.0000 | 464.8800 | 0.0000 | 0.0000 | 55.7280 |
| 8-Jun-2007 | 52.2720 | -2.7360 | 4.7520 | 0.0000 | 335.0400 | 0.0000 | 0.0000 | 117.0720 |
| 9-Jun-2007 | 201.8880 | 0.0000 | 0.3600 | 0.0000 | 186.7200 | 0.0000 | 0.0000 | 0.0000 |
| 10-Jun-2007 | 74.3040 | 0.0000 | 20.0160 | 0.0000 | 173.6400 | 0.0000 | 0.0000 | 0.0000 |
| Total | 458.2080 | -5.7600 | 176.8320 | 0.0000 | 2033.8800 | 0.0000 | 0.0000 | 202.6080 |

| Date | 6VANOD-KANZ1M | 6VANOD-KANZ1M | REACT PG - GETCO | REACT PG - GETCO |
|--------------|-----------------|---------------|-------------------|------------------|
| | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) |
| 4-Jun-2007 | -6.9660 | 0.0000 | 4095.1680 | -0.0120 |
| 5-Jun-2007 | -5.2740 | 0.0000 | 3747.0390 | 1.2540 |
| 6-Jun-2007 | -3.1860 | 0.0000 | 3274.1640 | 7.9050 |
| 7-Jun-2007 | -1.7460 | 0.0000 | 4049.8740 | -17.0160 |
| 8-Jun-2007 | -5.5800 | 0.0000 | 2474.2440 | 242.3640 |
| 9-Jun-2007 | -7.7580 | 0.0000 | 3679.4670 | -40.6560 |
| 10-Jun-2007 | -6.5700 | 0.0000 | 3529.2000 | -91.4610 |
| Total | -37.0800 | 0.0000 | 24849.1560 | 102.3780 |

| Date | TOTAL MVARH | | (IN Rs.) | |
|--------------|------------------|----------------|---------------------|-----------------|
| | HV | LV | HV | LV |
| 4-Jun-2007 | 4095.168 | -0.012 | -204758.400 | -0.600 |
| 5-Jun-2007 | 3747.039 | 1.254 | -187351.950 | 62.700 |
| 6-Jun-2007 | 3274.164 | 7.905 | -163708.200 | 395.250 |
| 7-Jun-2007 | 4049.874 | -17.016 | -202493.700 | -850.800 |
| 8-Jun-2007 | 2474.244 | 242.364 | -123712.200 | 12118.200 |
| 9-Jun-2007 | 3679.467 | -40.656 | -183973.350 | -2032.800 |
| 10-Jun-2007 | 3529.200 | -91.461 | -176460.000 | -4573.050 |
| Total | 24849.156 | 102.378 | -1242457.800 | 5118.900 |

Note : (1) All figures are in MVARH.
(2) All Poistive Values indicate drawal of VARS by utilities from GETCO.
(3) VARH Cahrge rates are Rs. 50.00 per MVARH.
(4) The charges have been calculated based on the GERC order no.03 Clause 10 (C).

| | | |
|----------------------------|---------------------|-------------------------|
| For HV Conditions : | To Receive : | Rs. 12,42,457.80 |
| For LV Conditions : | To Pay : | Rs. 5,118.90 |

राज्य भार प्रेषण केन्द्र

STATE LOAD DISPATCH CENTRE

Vadodara -390002, Website : www.sldcguj.com

No. SLDC / ABT /Comm /REC/ Week 11/6.1

28-Jul-07

Reactive Energy Charges for MGVCCL for the Week
from 28-May-07 to 03-June-07

| Date | 4ASOJ-WTPS1 | 4ASOJ-WTPS1 | 4ASOJ-AMRELI1M | 4ASOJ-AMRELI1M | 4ASOJ-CORNI1M | 4ASOJ-CORNI1M | 4ASOJ-UTP1S | 4ASOJ-UTP1S |
|--------------|-----------------|---------------|-----------------|----------------|-------------------|---------------|------------------|---------------|
| | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) |
| 4-Jun-2007 | 304.3636 | 0.0000 | 108.3636 | 0.0000 | -696.7273 | 0.0000 | 330.5455 | 0.0000 |
| 5-Jun-2007 | 314.5455 | 0.0000 | 186.9091 | 0.0000 | -806.9091 | 0.0000 | 345.8182 | 0.0000 |
| 6-Jun-2007 | 84.7273 | 0.0000 | 142.5455 | 0.0000 | -490.9091 | 0.0000 | 170.1818 | 0.0000 |
| 7-Jun-2007 | 1.8182 | 0.0000 | 34.9091 | 0.0000 | -159.6364 | 0.0000 | 0.0000 | 0.0000 |
| 8-Jun-2007 | 12.7273 | 0.0000 | 13.4545 | 0.0000 | -129.8182 | 0.0000 | 8.0000 | 0.0000 |
| 9-Jun-2007 | 30.9091 | 0.0000 | 68.3636 | 0.0000 | -265.0909 | 0.0000 | 13.4545 | 0.0000 |
| 10-Jun-2007 | 93.8182 | 0.0000 | 216.0000 | 0.0000 | -469.8182 | 0.0000 | 141.8182 | 0.0000 |
| Total | 842.9091 | 0.0000 | 770.5455 | 0.0000 | -3018.9091 | 0.0000 | 1009.8182 | 0.0000 |

| Date | 2ASOJ-WTP1S | 2ASOJ-WTP1S | 2ASOJ-WTP2S | 2ASOJ-WTP2S | 6BODKA-SRBN1M | 6BODKA-SRBN1M | 6CNDOD-RPIPL1M | 6CNDOD-RPIPL1M |
|--------------|------------------|---------------|------------------|---------------|---------------|---------------|----------------|----------------|
| | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) |
| 4-Jun-2007 | 45.4800 | 0.0000 | 48.3600 | 0.0000 | 5.7240 | 1.4760 | -0.6120 | 0.0000 |
| 5-Jun-2007 | -79.4400 | 0.0000 | -76.3200 | 0.0000 | -0.5040 | 0.0000 | -0.3240 | 0.0000 |
| 6-Jun-2007 | -112.3200 | 0.0000 | -109.8000 | 0.0000 | 2.5920 | 0.0000 | -0.2880 | 0.0000 |
| 7-Jun-2007 | -106.3200 | 0.0000 | -103.5600 | 0.0000 | -0.2700 | 0.0000 | 0.0000 | 0.0000 |
| 8-Jun-2007 | -75.6000 | 0.0000 | -72.8400 | 0.0000 | 0.1080 | 0.0000 | 0.0000 | -0.3240 |
| 9-Jun-2007 | -47.6400 | 0.0000 | -44.8800 | 0.0000 | 0.1620 | 0.0000 | -1.9800 | -3.8160 |
| 10-Jun-2007 | -66.3600 | 0.0000 | -63.7200 | 0.0000 | 0.6300 | 0.0000 | -2.1600 | -1.6200 |
| Total | -442.2000 | 0.0000 | -422.7600 | 0.0000 | 8.4420 | 1.4760 | -5.3640 | -5.7600 |

| Date | 2GVSAD-SLPP1S | 2GVSAD-SLPP1S | 2GVSAD-SLPP2S | 2GVSAD-SLPP2S | 2GODRA-KHPS1 | 2GODRA-KHPS1 | 2GODRA-KHPS2 | 2GODRA-KHPS2 |
|--------------|-----------------|---------------|-----------------|---------------|-------------------|---------------|------------------|---------------|
| | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) |
| 4-Jun-2007 | 96.2400 | 0.0000 | 93.4800 | 0.0000 | -242.4000 | 0.0000 | -242.2800 | 0.0000 |
| 5-Jun-2007 | 115.3200 | 0.0000 | 112.4400 | 0.0000 | -95.2800 | 0.0000 | -119.4000 | 0.0000 |
| 6-Jun-2007 | 131.4000 | 0.0000 | 129.1200 | 0.0000 | -280.9200 | 0.0000 | -85.0800 | 0.0000 |
| 7-Jun-2007 | 98.4000 | 0.0000 | 96.0000 | 0.0000 | -277.8000 | 0.0000 | 0.0000 | 0.0000 |
| 8-Jun-2007 | 60.6000 | 0.0000 | 73.9200 | 0.0000 | -234.8400 | 0.0000 | 0.0000 | 0.0000 |
| 9-Jun-2007 | 152.1600 | 0.0000 | 53.7600 | 0.0000 | -241.2000 | 0.0000 | 0.0000 | 0.0000 |
| 10-Jun-2007 | 114.4800 | 0.0000 | 112.8000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Total | 768.6000 | 0.0000 | 671.5200 | 0.0000 | -1372.4400 | 0.0000 | -446.7600 | 0.0000 |

| Date | 2GODRA-WTPS1 | 2GODRA-WTPS1 | 1GOTRI-DTPS1 | 1GOTRI-DTPS1 | 1GOTRI-DTPS2 | 1GOTRI-DTPS2 | 2JMBUA-ACHLA1M | 2JMBUA-ACHLA1M |
|--------------|------------------|---------------|---------------|---------------|---------------|---------------|------------------|----------------|
| | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) |
| 4-Jun-2007 | 5.1600 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | -108.4800 | 0.0000 |
| 5-Jun-2007 | -251.4000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | -63.4800 | 0.0000 |
| 6-Jun-2007 | -181.3200 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | -38.2800 | 0.0000 |
| 7-Jun-2007 | -151.5600 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | -37.4400 | 0.0000 |
| 8-Jun-2007 | -103.0800 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | -59.1600 | 0.0000 |
| 9-Jun-2007 | -136.5600 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | -72.6000 | 0.0000 |
| 10-Jun-2007 | -174.8400 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | -67.9200 | 0.0000 |
| Total | -993.6000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | -447.3600 | 0.0000 |

राज्य भार प्रेषण केन्द्र

STATE LOAD DISPATCH CENTRE

Vadodara -390002, Website : www.sldcguj.com

Reactive Energy Charges for MGVCCL for the Week
from 28-May-07 to 03-June-07

| Date | 2JMBUA-ACHLA2M | 2JMBUA-ACHLA2M | 2JMBUA-ACHLA3M | 2JMBUA-ACHLA3M | 2JMBUA-ACHLA4M | 2JMBUA-ACHLA4M | 2JMBUA-HLDVA1M | 2JMBUA-HLDVA1M |
|--------------|------------------|----------------|------------------|----------------|------------------|----------------|------------------|----------------|
| | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) |
| 4-Jun-2007 | -83.4000 | 0.0000 | -85.5600 | 0.0000 | -87.0000 | 0.0000 | 493.8000 | 0.0000 |
| 5-Jun-2007 | -52.8000 | 0.0000 | -63.3600 | 0.0000 | -68.5200 | 0.0000 | 526.2000 | 0.0000 |
| 6-Jun-2007 | -38.5200 | 0.0000 | -36.4800 | 0.0000 | -36.6000 | 0.0000 | 465.2400 | 0.0000 |
| 7-Jun-2007 | -33.2400 | 0.0000 | -52.8000 | 0.0000 | -56.8800 | 0.0000 | 358.2000 | 0.0000 |
| 8-Jun-2007 | -52.5600 | 0.0000 | -68.7600 | 0.0000 | -69.8400 | 0.0000 | 323.0400 | 0.0000 |
| 9-Jun-2007 | -75.4800 | 0.0000 | -88.2000 | 0.0000 | -90.7200 | 0.0000 | 417.8400 | 0.0000 |
| 10-Jun-2007 | -69.1200 | 0.0000 | -66.1200 | 0.0000 | -65.1600 | 0.0000 | 389.2800 | 0.0000 |
| Total | -405.1200 | 0.0000 | -461.2800 | 0.0000 | -474.7200 | 0.0000 | 2973.6000 | 0.0000 |

| Date | 2JMBUA-ZGDIA1M | 2JMBUA-ZGDIA1M | 1JWNGR-GIPCL3 | 1JWNGR-GIPCL3 | 1JWNGR-GIPCL4 | 1JWNGR-GIPCL4 | 2KASOR-ICT1M | 2KASOR-ICT1M |
|--------------|------------------|----------------|-------------------|---------------|-------------------|---------------|------------------|---------------|
| | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) |
| 4-Jun-2007 | 432.4800 | 0.0000 | -402.1920 | 0.0000 | -396.7200 | 0.0000 | 350.8800 | 0.0000 |
| 5-Jun-2007 | 467.8800 | 0.0000 | -375.2640 | 0.0000 | -374.5440 | 0.0000 | 347.0400 | 0.0000 |
| 6-Jun-2007 | 306.3600 | 0.0000 | -371.5200 | 0.0000 | -366.1920 | 0.0000 | 327.1200 | 0.0000 |
| 7-Jun-2007 | 316.0800 | 0.0000 | -538.8480 | 0.0000 | -529.4880 | 0.0000 | 227.7600 | 0.0000 |
| 8-Jun-2007 | 286.8000 | 0.0000 | -491.9040 | 0.0000 | -489.8880 | 0.0000 | 185.5200 | 0.0000 |
| 9-Jun-2007 | 366.1200 | 0.0000 | -498.2400 | 0.0000 | -492.6240 | 0.0000 | 242.8800 | 0.0000 |
| 10-Jun-2007 | 477.8400 | 0.0000 | -427.2480 | 0.0000 | -420.7680 | 0.0000 | 378.0000 | 0.0000 |
| Total | 2653.5600 | 0.0000 | -3105.2160 | 0.0000 | -3070.2240 | 0.0000 | 2059.2000 | 0.0000 |

| Date | 2KASOR-ICT2M | 2KASOR-ICT2M | 2KASOR-VRTEJ1M | 2KASOR-VRTEJ1M | 6KHEDA-DHOLK1M | 6KHEDA-DHOLK1M | 2KVNJ-KHNPUR1M | 2KVNJ-KHNPUR1M |
|--------------|------------------|---------------|-------------------|----------------|----------------|----------------|------------------|----------------|
| | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) |
| 4-Jun-2007 | 550.3200 | 0.0000 | -315.0000 | 0.0000 | 0.3420 | 0.0000 | -54.6000 | 0.0000 |
| 5-Jun-2007 | 526.3200 | 0.0000 | -244.0800 | 0.0000 | 0.3240 | 0.0000 | -19.9200 | 0.0000 |
| 6-Jun-2007 | 546.9600 | 0.0000 | -141.1200 | 0.0000 | 0.3240 | 0.0000 | -64.2000 | 0.0000 |
| 7-Jun-2007 | 515.0400 | 0.0000 | -85.8000 | 0.0000 | 0.3060 | 0.0000 | -25.5600 | 0.0000 |
| 8-Jun-2007 | 329.2800 | 0.0000 | -75.0000 | 0.0000 | 0.2880 | 0.0000 | -68.6400 | 0.0000 |
| 9-Jun-2007 | 452.8800 | 0.0000 | -99.4800 | 0.0000 | 0.2880 | 0.0000 | -45.2400 | 0.0000 |
| 10-Jun-2007 | 557.0400 | 0.0000 | -188.7600 | 0.0000 | 0.3420 | 0.0000 | -57.4800 | 0.0000 |
| Total | 3477.8400 | 0.0000 | -1149.2400 | 0.0000 | 2.2140 | 0.0000 | -335.6400 | 0.0000 |

| Date | 2KVNJ-KHNPUR2M | 2KVNJ-KHNPUR2M | 2KVNJ-RNASAN1M | 2KVNJ-RNASAN1M | 2KVNJ-WTPS-1S | 2KVNJ-WTPS-1S | 1KRJN-HLDRVA1M | 1KRJN-HLDRVA1M |
|--------------|------------------|----------------|------------------|----------------|-------------------|---------------|----------------|----------------|
| | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) |
| 4-Jun-2007 | -54.8400 | 0.0000 | -38.1600 | 0.0000 | -192.4800 | 0.0000 | 0.0000 | -5.1840 |
| 5-Jun-2007 | -20.2800 | 0.0000 | -18.9600 | 0.0000 | -288.9600 | 0.0000 | 0.0000 | 0.0000 |
| 6-Jun-2007 | -65.1600 | 0.0000 | -22.5600 | 0.0000 | -218.8800 | 0.0000 | 0.0000 | 0.0000 |
| 7-Jun-2007 | -26.7600 | 0.0000 | -52.5600 | 0.0000 | -189.3600 | 0.0000 | 0.0000 | 0.0000 |
| 8-Jun-2007 | -69.8400 | 0.0000 | -49.2000 | 0.0000 | -115.9200 | 0.0000 | 0.0000 | 8.0640 |
| 9-Jun-2007 | -45.8400 | 0.0000 | -60.4800 | 0.0000 | -135.1200 | 0.0000 | 0.0000 | 0.0000 |
| 10-Jun-2007 | -57.6000 | 0.0000 | -38.1600 | 0.0000 | -189.3600 | 0.0000 | 0.0000 | 0.0000 |
| Total | -340.3200 | 0.0000 | -280.0800 | 0.0000 | -1330.0800 | 0.0000 | 0.0000 | 2.8800 |

राज्य भार प्रेषण केन्द्र

STATE LOAD DISPATCH CENTRE

Vadodara -390002, Website : www.sldcguj.com

Reactive Energy Charges for MGVCCL for the Week
from 28-May-07 to 03-June-07

| Date | 6KRJN-PALEJ1M | 6KRJN-PALEJ1M | 1KRMSD-DTPS1 | 1KRMSD-DTPS1 | 1KRMSD-DTPS2 | 1KRMSD-DTPS2 | 2KRMSAD-GPEC1 | 2KRMSAD-GPEC1 |
|--------------|---------------|---------------|------------------|---------------|------------------|---------------|---------------|-----------------|
| | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) |
| 4-Jun-2007 | 0.0000 | 0.0000 | -39.6720 | 0.0000 | -34.2720 | 0.0000 | 0.0000 | 0.0000 |
| 5-Jun-2007 | 0.0000 | 0.0000 | -54.6480 | 0.0000 | -38.1600 | 0.0000 | 0.0000 | 0.0000 |
| 6-Jun-2007 | 0.0000 | 0.0000 | -55.5840 | 0.0000 | -49.6800 | 0.0000 | 0.0000 | 0.0000 |
| 7-Jun-2007 | 0.0000 | 0.0000 | -76.2480 | 0.0000 | -72.3600 | 0.0000 | 0.0000 | 103.8000 |
| 8-Jun-2007 | 0.0000 | 0.0000 | -57.6000 | 0.0000 | -53.9280 | 0.0000 | 0.0000 | 0.0000 |
| 9-Jun-2007 | 0.0000 | 0.0000 | -33.2640 | 0.0000 | -29.8800 | 0.0000 | 0.0000 | 0.0000 |
| 10-Jun-2007 | 0.0000 | 0.0000 | -19.9440 | 0.0000 | -15.7680 | 0.0000 | 0.0000 | 0.0000 |
| Total | 0.0000 | 0.0000 | -336.9600 | 0.0000 | -294.0480 | 0.0000 | 0.0000 | 103.8000 |

| Date | 2KRMSAD-GPEC2 | 2KRMSAD-GPEC2 | 2KRMSD-RNSN1M | 2KRMSD-RNSN1M | 2KRMSD-RNSN2M | 2KRMSD-RNSN2M | 2KRMSD-SLJDA1M | 2KRMSD-SLJDA1M |
|--------------|---------------|-----------------|---------------|------------------|---------------|------------------|----------------|------------------|
| | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) |
| 4-Jun-2007 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| 5-Jun-2007 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| 6-Jun-2007 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| 7-Jun-2007 | 0.0000 | 103.0800 | 0.0000 | -100.2000 | 0.0000 | -102.6000 | 0.0000 | -169.0800 |
| 8-Jun-2007 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| 9-Jun-2007 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| 10-Jun-2007 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Total | 0.0000 | 103.0800 | 0.0000 | -100.2000 | 0.0000 | -102.6000 | 0.0000 | -169.0800 |

| Date | 2KRMSD-VRTJ1M | 2KRMSD-VRTJ1M | 6MHBAD-BRJD1M | 6MHBAD-BRJD1M | 6MHBAD-KNBA2M | 6MHBAD-KNBA2M | 1MHBAD-VTVA1M | 1MHBAD-VTVA1M |
|--------------|---------------|-----------------|-----------------|---------------|---------------|---------------|-------------------|---------------|
| | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) |
| 4-Jun-2007 | 0.0000 | 0.0000 | 91.3320 | 0.0000 | 0.0000 | 0.0000 | -220.9680 | 0.0000 |
| 5-Jun-2007 | 0.0000 | 0.0000 | 33.4440 | 0.0000 | 0.0000 | 0.0000 | -197.5680 | 0.0000 |
| 6-Jun-2007 | 0.0000 | 0.0000 | 72.7200 | 0.0000 | 0.0000 | 0.0000 | -187.2000 | 0.0000 |
| 7-Jun-2007 | 0.0000 | -60.8400 | 80.4420 | 0.0000 | 0.0000 | 0.0000 | -93.7440 | 0.0000 |
| 8-Jun-2007 | 0.0000 | 0.0000 | 83.3040 | 0.0000 | 0.0000 | 0.0000 | -111.3840 | 0.0000 |
| 9-Jun-2007 | 0.0000 | 0.0000 | 90.6120 | 0.0000 | 0.0000 | 0.0000 | -107.4240 | 0.0000 |
| 10-Jun-2007 | 0.0000 | 0.0000 | 82.1520 | 0.0000 | 0.0000 | 0.0000 | -174.4560 | 0.0000 |
| Total | 0.0000 | -60.8400 | 534.0060 | 0.0000 | 0.0000 | 0.0000 | -1092.7440 | 0.0000 |

| Date | 5MASR-ABHOR1M | 5MASR-ABHOR1M | 5MASR-MSR1M | 5MASR-MSR1M | 5MASR-SST1M | 5MASR-SST1M | 6NRMLI-ABYRA1M | 6NRMLI-ABYRA1M |
|--------------|-----------------|---------------|-----------------|---------------|----------------|---------------|----------------|----------------|
| | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) |
| 4-Jun-2007 | -4.7415 | 0.0000 | -2.1900 | 0.0000 | -0.0140 | 0.0000 | 0.0000 | 0.0000 |
| 5-Jun-2007 | -5.6820 | 0.0000 | -2.3120 | 0.0000 | -0.0160 | 0.0000 | 0.0000 | 0.0000 |
| 6-Jun-2007 | -4.6545 | 0.0000 | -2.5160 | 0.0000 | -0.0180 | 0.0000 | 0.0000 | 0.0000 |
| 7-Jun-2007 | -3.0300 | 0.0000 | -2.0080 | 0.0000 | -0.0120 | 0.0000 | 0.0000 | 0.0000 |
| 8-Jun-2007 | -1.1685 | 0.0000 | -2.0740 | 0.0000 | -0.0060 | 0.0000 | 0.0000 | 0.0000 |
| 9-Jun-2007 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| 10-Jun-2007 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Total | -19.2765 | 0.0000 | -11.1000 | 0.0000 | -0.0660 | 0.0000 | 0.0000 | 0.0000 |

**Reactive Energy Charges for MGVCCL for the Week
from 28-May-07 to 03-June-07**

| Date | 1NDSARI-GIPCL1 | 1NDSARI-GIPCL1 | 1NDSARI-GIPCL2 | 1NDSARI-GIPCL2 | 0SHERA-PANM1 | 0SHERA-PANM1 | 6TLKVDA-ICT1C | 6TLKVDA-ICT1C |
|--------------|-------------------|----------------|-------------------|----------------|---------------|---------------|---------------|---------------|
| | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) |
| Total | -340.8480 | 0.0000 | -323.4240 | 0.0000 | 3.8460 | 0.0000 | 0.0000 | 0.0000 |
| 4-Jun-2007 | -434.0160 | 0.0000 | -417.7440 | 0.0000 | 2.0460 | 0.0000 | 0.0000 | 0.0000 |
| 5-Jun-2007 | -516.5280 | 0.0000 | -500.9760 | 0.0000 | 0.3100 | 0.0000 | 0.0000 | 0.0000 |
| 6-Jun-2007 | -499.5360 | 0.0000 | -483.9840 | 0.0000 | 1.1140 | 0.0000 | 0.0000 | 0.0000 |
| 7-Jun-2007 | -534.9600 | 0.0000 | -519.9840 | 0.0000 | -0.6600 | 0.0000 | 0.0000 | 0.0000 |
| 8-Jun-2007 | -511.9200 | 0.0000 | -496.6560 | 0.0000 | 0.2960 | 0.0000 | 0.0000 | 0.0000 |
| 9-Jun-2007 | -499.1040 | 0.0000 | -482.4000 | 0.0000 | 0.3640 | 0.0000 | 0.0000 | 0.0000 |
| Total | -3336.9120 | 0.0000 | -3225.1680 | 0.0000 | 7.3160 | 0.0000 | 0.0000 | 0.0000 |

| Date | 6TLKVDA-ICT2C | 6TLKVDA-ICT2C | 1UNDEL-DTPS1 | 1UNDEL-DTPS1 | REACT MG - GETCO | REACT MG - GETCO | | |
|------------|---------------|---------------|-------------------|---------------|--------------------|------------------|--|--|
| | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) | | |
| Total | 0.0000 | 0.0000 | -209.5920 | 0.0000 | -1201.5650 | -3.7080 | | |
| 4-Jun-2007 | 0.0000 | 0.0000 | -210.0960 | 0.0000 | -1385.6804 | 0.0000 | | |
| 5-Jun-2007 | 0.0000 | 0.0000 | -176.4720 | 0.0000 | -1759.8000 | 0.0000 | | |
| 6-Jun-2007 | 0.0000 | 0.0000 | -197.7120 | 0.0000 | -2116.3471 | -225.8400 | | |
| 7-Jun-2007 | 0.0000 | 0.0000 | -143.5680 | 0.0000 | -2268.6839 | 7.7400 | | |
| 8-Jun-2007 | 0.0000 | 0.0000 | -188.8560 | 0.0000 | -1919.6496 | -3.8160 | | |
| 9-Jun-2007 | 0.0000 | 0.0000 | -213.4800 | 0.0000 | -1265.1818 | -1.6200 | | |
| | 0.0000 | 0.0000 | -1339.7760 | 0.0000 | -11916.9079 | -227.2440 | | |

| Date | TOTAL MVARH | | (IN Rs.) | |
|--------------|--------------------|------------------|------------------|------------------|
| | HV | LV | HV | LV |
| 4-Jun-2007 | -1201.5650 | -3.7080 | 60078.2523 | -185.4000 |
| 5-Jun-2007 | -1385.6804 | 0.0000 | 69284.0182 | 0.0000 |
| 6-Jun-2007 | -1759.8000 | 0.0000 | 87990.0024 | 0.0000 |
| 7-Jun-2007 | -2116.3471 | -225.8400 | 105817.3546 | -11292.0000 |
| 8-Jun-2007 | -2268.6839 | 7.7400 | 113434.1932 | 387.0000 |
| 9-Jun-2007 | -1919.6496 | -3.8160 | 95982.4818 | -190.8000 |
| 10-Jun-2007 | -1265.1818 | -1.6200 | 63259.0909 | -81.0000 |
| Total | -11916.9079 | -227.2440 | 595845.39 | -11362.20 |

Note : (1) All figures are in MVARH.
(2) All Poistive Values indicate drawal of VARS by utilities from GETCO.
(3) VARH Cahrge rates are Rs. 50.00 per MVARH.
(4) The charges have been calculated based on the GERC order no.03 Clause 10 (C).

| | | |
|----------------------------|---------------------|------------------------|
| For HV Conditions : | To Pay : | Rs. 5,95,845.39 |
| For LV Conditions : | To Receive : | Rs.11,362.20 |

राज्य भार प्रेषण केन्द्र

STATE LOAD DISPATCH CENTRE

Vadodara -390002, Website : www.sldcguj.com

No. SLDC / ABT /Comm /REC/ Week 11/6.1

28-Jul-07

**Reactive Energy Charges for TPAECO for the Week
from 28-May-07 to 03-June-07**

| DATE | 6AEC-RADEJA-1M | 6AEC-RADEJA-1M | 1AEC-SBRMATI1M | 1AEC-SBRMATI1M | 1AEC-SBRMATI2M | 1AEC-SBRMATI2M | 2NICOL-KNPUR1M | 2NICOL-KNPUR1M |
|--------------|----------------|-----------------|-------------------|----------------|-------------------|----------------|------------------|----------------|
| | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) |
| 4-Jun-2007 | 0.0000 | -8.1120 | -617.4720 | 0.0000 | -556.1280 | 0.0000 | -206.3200 | 0.0000 |
| 5-Jun-2007 | 0.0000 | -11.2560 | -654.7680 | 0.0000 | -611.6400 | 0.0000 | -104.2400 | 0.0000 |
| 6-Jun-2007 | 0.0000 | -7.0080 | -540.9360 | 0.0000 | -497.4480 | 0.0000 | -92.4800 | 0.0000 |
| 7-Jun-2007 | 0.0000 | 0.0000 | -409.1760 | 0.0000 | -399.0960 | 0.0000 | -48.1600 | 0.0000 |
| 8-Jun-2007 | 0.0000 | -1.1520 | -341.9280 | 0.0000 | -317.0880 | 0.0000 | -78.7200 | 0.0000 |
| 9-Jun-2007 | 0.0000 | 0.0000 | -348.6960 | 0.0000 | -281.8800 | 0.0000 | -79.6800 | 0.0000 |
| 10-Jun-2007 | 0.0000 | -0.0120 | -528.7680 | 0.0000 | -448.7760 | 0.0000 | -145.2800 | 0.0000 |
| Total | 0.0000 | -27.5400 | -3441.7440 | 0.0000 | -3112.0560 | 0.0000 | -754.8800 | 0.0000 |

| Date | 2NICOL-KNPUR2M | 2NICOL-KNPUR2M | REACT AEC-GETCO | REACT AEC-GETCO | | |
|--------------|------------------|----------------|-------------------|-----------------|--|--|
| | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) | | |
| 4-Jun-2007 | -200.4000 | 0.0000 | -1580.3200 | -8.1120 | | |
| 5-Jun-2007 | -88.7200 | 0.0000 | -1459.3680 | -11.2560 | | |
| 6-Jun-2007 | -84.1600 | 0.0000 | -1215.0240 | -7.0080 | | |
| 7-Jun-2007 | -41.8400 | 0.0000 | -898.2720 | 0.0000 | | |
| 8-Jun-2007 | -76.0800 | 0.0000 | -813.8160 | -1.1520 | | |
| 9-Jun-2007 | -78.0800 | 0.0000 | -788.3360 | 0.0000 | | |
| 10-Jun-2007 | -213.7600 | 0.0000 | -1336.5840 | -0.0120 | | |
| Total | -783.0400 | 0.0000 | -8091.7200 | -27.5400 | | |

| Date | TOTAL MVARH | | (IN Rs.) | |
|--------------|------------------|--------------|-------------------|------------------|
| | HV | LV | HV | LV |
| 4-Jun-2007 | -1580.320 | -8.112 | 79016.000 | -405.600 |
| 5-Jun-2007 | -1459.368 | -11.256 | 72968.400 | -562.800 |
| 6-Jun-2007 | -1215.024 | -7.008 | 60751.200 | -350.400 |
| 7-Jun-2007 | -898.272 | 0.000 | 44913.600 | 0.000 |
| 8-Jun-2007 | -813.816 | -1.152 | 40690.800 | -57.600 |
| 9-Jun-2007 | -788.336 | 0.000 | 39416.800 | 0.000 |
| 10-Jun-2007 | -1336.584 | -0.012 | 66829.200 | -0.600 |
| Total | -8091.720 | 0.000 | 404586.000 | -1377.000 |

Note : (1) All figures are in MVARH.
(2) All Poistive Values indicate drawal of VARS by utilities from GETCO.
(3) VARH Cahrge rates are Rs. 50.00 per MVARH.
(4) The charges have been calculated based on the GERC order no.03 Clause 10 (C).

| | | |
|----------------------------|---------------------|-------------------------|
| For HV Conditions : | To Pay : | Rs. 4,04,586.000 |
| For LV Conditions : | To Receive : | Rs.1,377.00 |

राज्य भार प्रेषण केन्द्र

STATE LOAD DISPATCH CENTRE

Vadodara -390002, Website : www.sldcguj.com

No. SLDC / ABT / Comm / REC / Week 11/6.1

28-Jul-07

**Reactive Energy Charges for KPTL for the Week
from 28-May-07 to 03-June-07**

| DATE | 6KPT-FTZ1M | 6KPT-FTZ1M | 6KPT-FTZ1M | 6KPT-FTZ1M | REACT KPT(M) | REACT KPT(M) |
|--------------|---------------|---------------|---------------|---------------|---------------|---------------|
| | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) | MVARh(H) | MVARh(L) |
| 4-Jun-2007 | 0.1395 | 0.0000 | 0.0000 | 0.0000 | 0.1395 | 0.0000 |
| 5-Jun-2007 | 0.1620 | 0.0000 | 0.0000 | 0.0000 | 0.1620 | 0.0000 |
| 6-Jun-2007 | -0.2205 | 0.0000 | 0.0000 | 0.0000 | -0.2205 | 0.0000 |
| 7-Jun-2007 | -0.0945 | 0.0000 | 0.0000 | 0.0000 | -0.0945 | 0.0000 |
| 8-Jun-2007 | 0.2745 | 0.0000 | 0.0000 | 0.2250 | 0.2745 | 0.2250 |
| 9-Jun-2007 | 0.4095 | 0.0000 | 0.0000 | 0.0000 | 0.4095 | 0.0000 |
| 10-Jun-2007 | 0.7335 | 0.0000 | 0.0000 | 0.0000 | 0.7335 | 0.0000 |
| Total | 1.4040 | 0.0000 | 0.0000 | 0.2250 | 1.4040 | 0.2250 |

| Date | TOTAL MVARH | | (IN Rs.) | |
|--------------|--------------|--------------|----------------|---------------|
| | HV | LV | HV | LV |
| 4-Jun-2007 | 0.140 | 0.000 | -6.975 | 0.000 |
| 5-Jun-2007 | 0.162 | 0.000 | -8.100 | 0.000 |
| 6-Jun-2007 | -0.221 | 0.000 | 11.025 | 0.000 |
| 7-Jun-2007 | -0.095 | 0.000 | 4.725 | 0.000 |
| 8-Jun-2007 | 0.275 | 0.225 | -13.725 | 11.250 |
| 9-Jun-2007 | 0.410 | 0.000 | -20.475 | 0.000 |
| 10-Jun-2007 | 0.734 | 0.000 | -36.675 | 0.000 |
| Total | 1.404 | 0.225 | -70.200 | 11.250 |

Note : (1) All figures are in MVARH.
(2) All Poistive Values indicate drawal of VARS
by utilities from GETCO.
(3) VARH Cahrge rates are Rs. 50.00 per MVAR
(4) The charges have been calculated based on
the GERC order no.03 Clause 10 (C).

| | | |
|----------------------------|---------------------|-----------------|
| For HV Conditions : | To Receive : | Rs.70.20 |
| For LV Condtions : | To Pay | Rs.11.25 |